

Subject: Approval of Additional (637) Product.

| | | | | | |
|----|---|---|----------------------|-------------------------------------|--|
| 1. | Esomeprazole & Domperidone Tablets. | Each enteric coated tablet contains: Esomeprazole Magnesium Eq. to Esomeprazole Domperidone Excipients Approved colour used | IP IP | 20mg 10mg q.s. | |
| 2. | Rifaximin Tablets 200mg | Each film coated Tablet contains: Rifaximin Excipients Approved colour used | BP | 200mg | |
| 3. | Paracetamol & Domperidone Tablet | Each uncoated tablet contains: Paracetamol Domperidone Excipients Approved colour used | IP IP | 325mg 10mg | |
| 4. | Tamsulosin Hydrochloride Tablets IP 0.4mg | Each film coated Tablet contains: Tamsulosin Hydrochloride Excipients Approved colour used | IP | 0.4mg | |
| 5. | Cetirizine Hydrochloride, Paracetamol & Phenylephrine Hydrochloride Tablets | Each uncoated Tablet contains: Cetirizine Hydrochloride Paracetamol Phenylephrine Hydrochloride Excipients Approved colour used | IP IP IP | 5mg 325mg 10mg | |
| 6. | Leflunomide Tablets IP | Each film coated tablet contains: Leflunomide Excipients Approved color used | IP | 10mg q.s. | |
| 7. | Paracetamol & Phenylephrine Hydrochloride, Caffeine Chlorpheniramine Maleate Tablet | Each uncoated Tablet contains: Paracetamol Phenylpherine Hydrochloride Chlorpheniramine Maleate Caffiene (Anhydrous) Excipients Approved color used | IP IP IP IP | 325mg 5mg 2mg 30mg q.s. | |
| 8. | Tranexamic Acid & Mefenamic Acid Tablets | Each film coated tablet contains: Tranexamic Acid Mefenamic Acid Excipients Approved color used | IP IP | 500mg 250mg q.s. | |

| | | | | | |
|----|---|--|----------|----------------------------|--|
| 9. | Doxycycline Hydrochloride & Lactobacillus Tablets | Each film coated Tablet contains: Doxycycline Hydrochloride Lactobacillus Excipients Approved color used | IP IP | 100mg 5 billion q.s. | |
|----|---|--|----------|----------------------------|--|

| | | | | | |
|-----|--|--|------------------|----------------------------------|--|
| 10. | Rifaximin Tablets 550mg | Each film coated Tablet contains: Rifaximin Excipients Approved color used | BP | 550mg q.s. | |
| 11. | Telmisartan & Amlodipine Besylate, Hydrochlorthiazide Tablets | Each film coated Tablet contains: Telmisartan Amlodipine Besylate Eq. to Amlodipine Hydrochlorthiazide Excipients Approved color used | IP IP IP | 40mg 5mg 12.5mg q.s. | |
| 12. | Ferrous Ascorbate, Folic Acid & Zinc Sulphate Tablet | Each film coated Tablet contains: Ferrous Ascorbate Eq. to Elemental Iron Folic Acid Zinc Sulphate Monohydrate Eq. to Elemental Zinc Excipients Approved color used | IP IP IP | 100mg 1.5mg 22.5mg q.s. | |
| 13. | Glucosamine Sulphate & Potassium Chloride, MSM & Diacerein Tablets | Each film coated Tablet contains: Glucosamine Sulphate Potassium Chloride Diacerein Methylsulfonylmethane Excipients Approved color used | USP IP USP | 750mg 50mg 250mg q.s. | |
| 14. | Voglibose Tablets IP 0.2mg | Each uncoated Tablet contains: Voglibose Excipients | IP | 0.2mg q.s. | |
| 15. | Metformin Hydrochloride SR Tablets IP 500mg | Each uncoated Tablet contains: Metformin Hydrochloride (As sustained Release) | IP | 500mg | |

| | | | | | |
|-----|---|---|----------------|--------------------------------|--|
| 16. | Aceclofenac, Paracetamol & Serratiopeptidase Tablets | Each film coated Tablet contains: Aceclofenac Paracetamol Serratiopeptidase Excipients Approved color used | IP IP IP | 100mg 325mg 10mg q.s. | |
| 17. | Metformin Hydrochloride SR Tablets IP 1000mg | Each uncoated Tablet contains: Metformin Hydrochloride (As sustained Release) Excipients | IP | 1000mg q.s. | |
| 18. | Telmisartan & Clindipine Tablets | Each film coated Tablet contains: Telmisartan Clindipine Excipients Approved color used | IP | 40mg 10mg q.s. | |
| 19. | Telmisartan Tablets IP 20mg | Each film coated Tablet contains: Telmisartan Excipients Approved color used | IP | 20mg q.s. | |
| 20. | Telmisartan & Chlorthalidone Tablets | Each film coated Tablet contains: Telmisartan Chlorthalidone Excipients | IP IP | 40mg 12.5mg q.s. | |

| | | | | | |
|-----|--|---|----------------|----------------------------------|--|
| | | Approved color used | | | |
| 21. | Ferrous Ascorbate, Folic Acid & Zinc Sulphate Tablet | Each film coated Tablet contains: Ferrous Ascorbate Folic Acid Zinc Sulphate Monohydrate Eq. to Elemental Zinc Excipients Approved color used | IP IP IP | 100mg 1.5mg 22.5mg q.s. | |
| 22. | Telmisartan & Hydrochlorthiazide Tablets | Each film coated Tablet contains: Telmisartan Hydrochlorthiazide Excipients Approved color used | IP IP | 80mg 12.5mg q.s. | |
| 23. | Telmisartan Tablets IP 80mg | Each film coated Tablet contains: Telmisartan Excipients Approved color used | IP | 80mg q.s. | |

| | | | | | |
|-----|--|---|----------|------------------------|--|
| 24. | Olmesartan Tablets IP 40mg | Each film coated Tablet contains: Olmesartan Medoxomil Excipients Approved colour used | IP | 40mg q.s. | |
| 25. | Olmesartan Tablets IP 20 mg | Each film coated Tablets contains: Olmesartan Medoxomil Excipients Approved colour used | IP | 20mg q.s. | |
| 26. | Olmesartan & Hydrochlorthiazide Tablets | Each film coated Tablets contains: Olmesartan Medoxomil Hydrothiazide Excipients Approved colour used | IP IP | 20mg 12.5mg q.s. | |
| 27. | Metoprolol Succinate Extended Release Tablets IP 25mg | Each film coated Extended Release Tablets contains: Metoprolol succinate Eq. to Metoprolol Tartrate Excipients Approved colour used | IP | 25mg q.s . | |
| 28. | Metoprolol Succinate Extended Release Tablets I P 50mg | Each film coated Extended Release contains: Metoprolol Succinate Eq. to Metoprolol Tartrate Excipients Approved colour used | IP | 47.5mg 50mg q.s. | |
| 29. | Amlodipine Besylate Tablets IP 5mg | Each film coated Tablets contains: Amlodipine Besylate Eq . to Amlodipine Excipients Approved colour used | IP | 5mg q.s. | |
| 30. | Clindipine Tablets IP 10mg | Each film coated Tablet contains: Clindipine Excipients Approved color used | IP | 10mg q.s. | |

| | | | | | |
|------------|-------------------------------------|--|----|-------------|--|
| 31. | Rosuvastatin Calcium Tablets IP 5mg | Each film coated Tablet contains: Rosuvastatin Calcium Eq. to Rosuvastatin Excipients Approved colour used | IP | 5mg q.s. | |
|------------|-------------------------------------|--|----|-------------|--|

| | | | | | |
|------------|--|---|----------------|---------------------------------|--|
| 32. | Atenolol & Amlodipine Besylate Tablets | Each film coated Tablets contains: Atenolol Amlodipine Besylates Eq to Amlodipine Excipients Approved colour used | IP IP | 50 mg 5mg q.s . | |
| 33. | Sodium Feredetate & Cyanocobalamin, Folic Acid Tablets | Each film coated Tablet contains: Sodium Feredetate Cyanocobalamin Folic Acid Excipients Approved color used | BP IP IP | 231mg 15mcg 1.5mg q.s. | |
| 34. | Rosuvastatin Calcium & Fenofibrate Tablets | Each film coated Tablet contains: Rosuvastatin Calcium Eq. to Rosuvastatin Fenofibrate Excipients Approved color used | IP | 10mg 160mg q.s. | |
| 35. | Pregabalin & Methylcobalamin Tablets | Each film coated Tablet contains: Pregabalin (SR) Methylcobalamin Excipients Approved color used | USP | 75mg 1500mcg q.s. | |
| 36. | Etoricoxib Tablets IP 60mg | Each film coated Tablet contains: Etoricoxib Excipients Approved color used | IP | 60mg q.s. | |
| 37. | Cholecalciferol Tablets 60,000 IU (Chewable Tablets) | Each uncoated chewable Tablet contains: Cholecalciferol (As stabilized) Excipients | IP | 60,000 IU q.s. | |
| 38. | Esomeprazole Tablets IP 40mg | Each enteric coated Tablet contains: Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole Excipients Approved color used | IP | 40mg q.s. | |
| 39. | Methylcobalamine & Gabapentin Tablets | Each film coated Tablet contains: Methylcobalamine Gabapentin Excipients Approved colour used | USP IP | 500mcg 300mg q.s. | |

| | | | | | |
|------------|---|---|----|------------------|--|
| 40. | Lansoprazole Orally Disintegrating Tablets 15mg | Each uncoated dispersible Tablet contains: Lansoprazole Excipients Approved color used | IP | 15mg q.s. | |
|------------|---|---|----|------------------|--|

| | | | | | |
|-----|--|--|----------------|-------------------------------------|--|
| 41. | Citicoline & Piracetam Tablets | Each film coated Tablet contains: Citicoline Sodium Eq. to Citicoline Piracetam Excipients Approved colour used | IP IP | 500mg 800mg q.s. | |
| 42. | Paracetamol, Levocetirizine HCL and Phenylephrine HCL and Ambroxol HCL Tablets | Each uncoated Tablet contains: Paracetamol Levocetirizine Hydrochloride Phenylephrine Hydrochloride Ambroxol Hydrochloride Excipients Approved colour used | IP IP IP | 325mg 5mg 5mg 30mg q.s. | |
| 43. | Pregabalin & Nortryptiline Tablets | Each film coated Tablets contains: Pregabalin Nortryptiline Hcl Eq. to Nortryptiline Excipients Approved colour used | USP IP | 75mg 10mg q.s. | |
| 44. | Trypsin & Bromelain, RutosideTrihydrate Tablets | Each film coated Tablet contains: Trypsin Bromelain RutosideTrihydrate Excipients Approved colour used | IP IP | 48mg 90mg 100mg q.s. | |
| 45. | Atorvastatin Calcium Tablets IP 10 mg | Each film coated Tablet contains: Atorvastatin Calcium Eq. to Atorvastatin Excipients Approved colour used | IP | 10mg q.s. | |
| 46. | Mefenamic Acid & Drotaverin hydrochloride Tablets | Each film coated Tablet contains: Mefenamic Acid Drotaverin Hydrochloride Excipients Approved colour used | IP IP | 250mg 80mg q.s. | |

| | | | | | |
|-----|---|---|----------------|-------------------------------|--|
| 47. | Atorvastatin Calcium Tablets IP 20 mg | Each film coated Tablet contains: Atorvastatin Calcium Eq. to Atorvastatin Excipients Approved colour used | IP | 20mg q.s. | |
| 48. | Atorvastatin Calcium Tablets IP 40 mg | Each film coated Tablet contains: Atorvastatin Calcium Eq. to Atorvastatin Excipients Approved colour used | IP | 40mg q.s. | |
| 49. | Atorvastatin Calcium & Fenofibrate Tablets | Each film coated Tablet contains: Atorvastatin Calcium Eq. to Atorvastatin Fenofibrate Excipients Approved colour used | IP IP | 10mg 160mg q.s. | |
| 50. | Aceclofenac , Thiocolchicoside & Paracetamol Tablet | Each film coated Tablet contains: Aceclofenac Thiocolchicoside Paracetamol Excipients | IP IP IP | 100mg 4mg 325mg q.s. | |

| | | | | | |
|-----|--|---|----------------|-------------------------------|--|
| | | Approved colour used | | | |
| 51. | Doxylamine Succinate & Pyridoxine hydrochloride & Folic Acid Tablets | Each film coated Tablet contains: Doxylamine Succinate Pyridoxine hydrochloride Folic Acid Excipients Approved colour used | IP IP IP | 10mg 10mg 2.5mg q.s. | |
| 52. | Rosuvastatin Calcium Tablets IP 20mg | Each film coated Tablet contains: Rosuvastatin Calcium Eq. to Rosuvastatin Excipients Approved colour used | IP | 20mg q.s. | |
| 53. | Aceclofenac ,& Paracetamol Tablet | Each uncoated Tablet contains: Aceclofenac Paracetamol Excipients Approved colour used | IP IP | 100mg 325mg q.s. | |

| | | | | | |
|-----|---|--|----------------|-------------------------------|--|
| 54. | Aceclofenac & Thiocolchicoside Tablet | Each film coated Tablet contains: Aceclofenac Thiocolchicoside Excipients Approved colour used | IP IP | 100mg 8mg q.s. | |
| 55. | Aceclofenac Sustained Release Tablet 200 mg | Each film coated sustained release Tablet contains: Aceclofenac Excipients Approved colour used | IP | 200mg q.s. | |
| 56. | Artemether & Lumefantrine Tablets | Each uncoated Tablet contains: Artemether Lumefantrine Excipients Approved colour used | IP USP | 80mg 480mg q.s. | |
| 57. | Metformin hydrochloride SR & Glimepride , Voglibose Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As susteain Release) Glimepride Voglibose Excipients | IP IP IP | 500mg 1mg 0.3mg q.s. | |
| 58. | Metformin hydrochloride SR & Glimepride , Voglibose Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As susteain Release) Glimepride Voglibose Excipients | IP IP IP | 500mg 2mg 0.3mg q.s. | |
| 59. | Metformin hydrochloride SR & Voglibose Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As sustained Release) Voglibose Excipients | IP IP | 500mg 0.2mg q.s. | |
| 60. | Voglibose Tablets IP 0.3mg | Each uncoated Tablet contains: Voglibose Excipients | IP | 0.3mg q.s. | |

| | | | | | |
|-----|--|--|----|---------------|--|
| 61. | Metformin hydrochloride SR & Voglibose Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As sustained Release) Voglibose Excipients | IP | 500mg | |
| | | | IP | 0.3mg q.s. | |

| | | | | | |
|-----|---|--|----------------|--------------------------------|--|
| 62. | Aceclofenac ,& Paracetamol Tablet | Each uncoated Tablet contains: Aceclofenac Paracetamol Excipients Approved colour used | IP IP | 100mg 325mg q.s. | |
| 63. | Metformin hydrochloride S R & Gliclazide Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As sustained Release) Gliclazide Excipients | IP IP | 500mg 80mg q.s. | |
| 64. | Metformin hydrochloride S R & Gliclazide Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As sustained Release) Gliclazide Excipients | IP IP | 500mg 60mg q.s. | |
| 65. | Metformin hydrochloride SR & Glimepride, Pioglitazone Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As sustained Release) Glimepride Pioglitazone Excipients | IP IP IP | 500mg 1mg 15mg q.s. | |
| 66. | Metformin hydrochloride SR & Glimepride, Pioglitazone Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As sustained Release) Glimepride Pioglitazone Excipients | IP IP IP | 500mg 2mg 15mg q.s. | |
| 67. | Deflazacort Tablets. 6 mg | Each uncoated Tablet contains: Deflazacort Excipients Approved colour used | | 6mg q.s. | |
| 68. | Montelukast Sodium & Fexofenadine hydrochloride Tablets. | Each film coated Tablet contains: Fexofenadine hydrochloride Montelukast Sodium Eq to Montelukast Excipients Approved colour used | IP IP | 120mg 10mg q.s. | |
| 69. | Aceclofenac, Paracetamol & Serratiopeptidase Tablet | Each film coated Tablet contains: Aceclofenac Paracetamol Serratiopeptidase Excipients Approved colour used | IP IP IP | 100mg 325mg 15mg q.s. | |

| | | | | | |
|-----|--|--|----------------------|------------------------|--|
| 70. | Paracetamol & Nimesulide, Phenylephrine Hydrochloride Caffeine | Each uncoated Tablet contains: Paracetamol Nimesulide Phenylephrine hydrochloride Caffeine (Anhydrous) | IP BP IP IP | 325mg 100mg 10mg | |
|-----|--|--|----------------------|------------------------|--|

| | | | | | |
|-----|---|--|-----------------|---------------------------------------|--|
| | Cetirizine hydrochloride Tablets. | Eq. to Caffeine Cetirizine hydrochloride Excipients | IP | 25mg 5mg q.s. | |
| 71. | Mefenamic Acid & Dicyclomine hydrochloride Tablets. | Each film coated Tablet contains: Mefenamic Acid Dicyclomine Hydrochloride Excipients Approved colour used | IP IP | 250mg 10mg q.s. | |
| 72. | Aceclofenac, Paracetamol & Chlorzoxazone Tablet | Each film coated Tablet contains: Aceclofenac Paracetamol Chlorzoxazone Excipients Approved colour used | IP IP USP | 100mg 325mg 250mg | |
| 73. | Aceclofenac & Thiocolchicoside Tablet | Each film coated Tablet contains: Aceclofenac Thiocolchicoside Excipients Approved colour used | IP IP | 100mg 4mg q.s. | |
| 74. | Metformin hydrochloride SR & Glimepride Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As Sustained Release) Glimepride Excipients | IP IP | 500mg 1mg q.s. | |
| 75. | Metformin Hydrochlorid SR & Glimepride Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As Sustained Release) Glimepride Excipients | IP IP | 500mg 2mg q.s. | |
| 76. | Trypsin & Bromelain RutasideTrihydrat, Diclofenac sodium Tablets. | Each film coated Tablet contains: Trypsin Bromelain RutosideTrihydrate Diclofenac Sodium Excipients Approved colour used | IP IP IP | 48mg 90mg 100mg 50mg q.s. | |

| | | | | | |
|-----|--|--|-----------------------|---|--|
| 77. | Calcium citrate, Magnesium hydroxide, Zinc Sulphate & VitaminD3 Tablet | Each film coated Tablet contains: Calcium citrate Vitamin D3 Magnesium hydroxide Zinc Sulphate Excipients Approved colour used | USP IP IP IP | 1000mg 200IU 100mg 4mg q.s. | |
| 78. | Calcium citrate & Magnesium hydroxide Zinc Sulphate, Calcitriol Tablets. | Each film coated Tablet contains: Calcium citrate Calcitriol Magnesium hydroxide Zinc Sulphate Excipients Approved colour used . | USP IP IP IP | 1000mg 0.25mcg 100mg 4mg q.s. | |
| 79. | Diclofenac potassium Paracetamol & Serratiopeptidase Tablet | Each film coated Tablet contains: Diclofenac Potassium Paracetamol Serratiopeptidase Excipients Approved colour used | BP IP IP | 50mg 325mg 15mg q.s. | |

| | | | | | |
|------------|---|---|----------|-----------------------|--|
| 80. | Metformin hydrochloride SR & Glimepride Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As Sustained Release) Glimepride Excipients | IP IP | 1000mg 1mg q.s. | |
| 81. | Metformin Hydrochloride SR & Glimepride Tablets | Each uncoated Tablet contains: Metformin hydrochloride (As Sustained Release) Glimepride Excipients | IP IP | 1000mg 2mg q.s. | |
| 82. | Telmisartan Tablets IP 40 mg | Each film coated Tablet contains: Telmisartan Excipients Approved colour used | IP | 40mg q.s. | |

| | | | | | |
|------------|---|--|----------|------------------------|--|
| 83. | Telmisartan & Amlodipine Tablets. | Each film coated Tablet contains: Telmisartan Amlodipine Besylate Eq. to Amlodipine Excipients Approved colour used | IP IP | 40mg 5mg q.s. | |
| 84. | Telmisartan & Hydrochlorthiazide Tablets. | Each film coated Tablet contains: Telmisartan Hydrochlorthiazide Excipients Approved colour used | IP IP | 40mg 12.5mg q.s. | |
| 85. | Etoricoxib Tablets IP 90mg | Each film coated Tablet contains: Etoricoxib Excipients Approved colour used | IP | 90mg q.s. | |
| 86. | Etoricoxib Tablets IP 120mg | Each film coated Tablet contains: Etoricoxib Excipients Approved colour used | IP | 120mg | |
| 87. | Etoricoxib & Thiocolchicoside Tablets | Each film coated Tablet contains: Etoricoxib Thiocolchicoside Excipients Approved colour used | IP IP | 60mg 4mg q.s. | |
| 88. | Etoricoxib & Paracetamol Tablets. | Each film coated Tablet contains: Etoricoxib Paracetamol Excipients Approved colour used | IP IP | 60mg 325mg q.s. | |
| 89. | Febuxostat Tablets 40mg | Each film coated Tablet contains: Febuxostat Excipients Approved colour used | IP | 40mg q.s. | |
| 90. | Febuxostat Tablets 80mg | Each film coated Tablet contains: Febuxostat Excipients Approved colour used | IP | 80mg q.s. | |
| 91. | Ursodeoxycholic Acid Tablets 300mg | Each film coated Tablet contains: Ursodeoxycholic Acid Excipients Approved colour used | IP | 300mg q.s. | |

| | | | | | |
|-----|--|--|------------|-------------------------|--|
| 92. | Montelukast Sodium & Levocetirizine hydrochloride Tablets. | Each uncoated Tablet contains: Levocetirizine hydrochloride Montelukast Sodium Eq. to Montelukast Excipients Approved colour used | IP IP | 2.5mg 5mg q.s. | |
| 93. | Tramadol hydrochloride & Paracetamol Tablet | Each film coated Tablet contains: Tramadol hydrochloride Paracetamol Excipients Approved colour used | BP IP | 37.5mg 325mg q.s. | |
| 94. | Levocetirizine Tablets IP 5mg | Each film coated Tablet contains: Levocetirizine hydrochloride Excipients Approved colour used | IP q.s. | 5mg | |
| 95. | Nimesulide Tablets 100mg | Each uncoated Tablet contains: Nimesulide Excipients Approved colour used | BP | 100mg q.s. | |
| 96. | Sildenafil Citrate Tablets IP 50mg | Each film coated Tablet contains: Sildenafil Citrate Eq to Sildenafil Excipients Approved colour used | IP | 50mg q.s. | |
| 97. | Methylprednisolone Tablet IP 8 mg | Each uncoated Tablet contains: Methylprednisolone Excipients | IP | 8 mg q.s. | |
| 98. | Azithromycin Tablet IP 250 mg | Each film coated Tablet contains: Azithromycin Eq .to Azithromycin(Anhydrous) Excipients Approved colour used | IP | 250mg q.s. | |
| 99. | Azithromycin Tablet IP 500 mg | Each film coated Tablet contains: Azithromycin Eq .to Azithromycin(Anhydrous) Excipients Approved colour used | IP | 500mg q.s. | |

| | | | | | |
|------|---|--|----------|--------------------------|--|
| 100. | Levofloxacin Tablets IP 500mg (Not for Prostatitis.) | Each film coated Tablet contains: Levofloxacin Hemihydrate Eq. to Levofloxacin | IP | 500mg | |
| 101. | Ofloxacin & Ornidazole Tablet | Each film coated dispersible Tablet contains: Ofloxacin Ornidazole Excipients | IP IP | 200 mg 500 mg q.s. | |
| 102. | Chlorpheniramine Maleate Tablet IP | Each uncoated Tablet contains: Chlorpheniramine Maleate Excipients Approved colour used | IP | 4mg q.s. | |
| 103. | Norfloxacin & Tinidazole with Betacyclodextrin Tablet | Each film coated Tablet contains: Norfloxacin Tinidazole (With Betacyclodextrin USP) Excipients | IP IP | 400mg 600mg q.s. | |

| | | | | | |
|-------------|--|--|----------|-----------------------|--|
| 104. | Diclofenac Sodium Tablet IP 50mg | Each film coated Tablet contains: Diclofenac Sodium Excipients Approved colour used | IP | 50mg q.s. | |
| 105. | Diclofenac Sodium & Paracetamol Tablet | Each film coated Tablet contains: Diclofenac Sodium Paracetamol Excipients Approved colour used | IP IP | 50mg 325mg q.s. | |
| 106. | Ciprofloxacin Tablet IP 250mg | Each film coated Tablet contains: Ciprofloxacin Hydrochloride Eq. to Ciprofloxacin Excipients Approved colour used | IP | 250mg q.s. | |
| 107. | Ciprofloxacin Tablet IP 500mg | Each film coated Tablet contains: Ciprofloxacin Hydrochloride Eq. to Ciprofloxacin Excipients Approved colour used | IP | 500mg q.s. | |
| 108. | Cetirizine Tablets IP 10mg | Each film coated Tablet contains: Cetirizine hydrochloride Excipients Approved colour used | IP | 10mg q.s. | |

| | | | | | |
|-------------|--|---|------------|------------------------|--|
| 109. | Ciprofloxacin & Tinidazole Tablet. | Each film coated Tablet contains: Ciprofloxacin Hydrochloride Eq to Ciprofloxacin Tinidazole Excipients Approved colour used | IP | 500mg 600mg q.s. | |
| 110. | Rabeprazole Gastro-Resistant Tablets IP | Each Enteric coated Tablet contains: Rabeprazole Sodium Excipients Approved colour used | IP q.s. | 20mg | |
| 111. | Pantoprazole Gastro-Resistant Tablets IP | Each enteric coated Tablet contains: Pantoprazole Sodium Sesquihydrate Eq. to Pantoprazole Excipients Approved colour used | IP | 40mg q.s. | |
| 112. | Sildenafil Citrate Tablets. IP 100mg | Each film coated Tablet contains: Sildenafil Citrate Eq. to Sildenafil Excipients Approved colour used | IP | 100mg q.s. | |
| 113. | Pantoprazole & Domperidone Tablets. | Each enteric coated Tablet contains: Pantoprazole Sodium Sesquihydrate Eq. to Pantoprazole Domperidone Excipients Approved colour used | IP IP | 40mg 10mg q.s. | |
| 114. | Rabeprazole & Domperidone Tablets. | Each enteric coated Tablet contains: Rabeprazole Sodium Domperidone Excipients Approved colour used | IP IP | 20mg 10mg | |

| | | | | | |
|-------------|----------------------------------|---|----------|------------------------|--|
| 115. | Aceclofenac & Paracetamol Tablet | Each film coated Tablet contains: Aceclofenac Paracetamol Excipients Approved colour used | IP IP | 100mg 325mg q.s. | |
| 116. | Rifaximin Tablets 400mg | Each film coated Tablet contains: Rifaximin Excipients Approved colour used | BP | 400mg q.s. | |

| | | | | | |
|-------------|-------------------------------------|---|----------|---------------------------|--|
| 117. | Nimesulide, Paracetamol & Tablet | Each film coated Tablet contains. Nimesulide Paracetamol Excipients Approved colour used | BP IP | 100mg 325mg q.s. | |
| 118. | Levocetirizine & Montelukast Tablet | Each film coated Tablet contains: Levocetirizine Dihydrochloride Montelukast Sodium Eq. to Montelukast Excipients Approved colour used | IP IP | 5 mg 10 mg q.s. | |
| 119. | Cyproheptadine Tablet IP 4mg | Each uncoated Tablet contains: Cyproheptadine Hcl Eq. to Cyproheptadine Excipients Approved colour used | IP | 4mg q.s. | |

| | | | | | |
|-------------|---|--|----------|------------------------|--|
| 120. | Cefpodoxime Proxetil Dispersible Tablet 100mg | Each uncoated dispersible Tablet contains: Cefpodoxime Proxetil Eq. to Cefpodoxime Excipients | IP | 100mg q.s. | |
| 121. | Cefuroxime Tablet IP 250mg | Each uncoated dispersible Tablet contains: Cefuroxime Axetil Eq. to Cefuroxime(Anhydrous) Excipients | IP | 250mg q.s. | |
| 122. | Cefuroxime Tablet IP 500mg | Each uncoated dispersible Tablet contains: Cefuroxime Axetil Eq to Cefuroxime (Anhydrous) Excipients | IP | 500mg q.s. | |
| 123. | Cefixime Tablet IP 100 mg | Each uncoated Tablet contains: Cefixime Tryhydrate Eq .to Cefixime(Anhydrous) Excipients | IP | 100 mg q.s. | |
| 124. | Cefixime & Ofloxacin Tablet | Each film coated Tablet contains. Cefixime Trihydrate Eq. to Cefixime (Anhydrous) Ofloxacin Excipients | IP IP | 200mg 200mg q.s. | |

| | | | | | |
|-------------|--|--|----------|--------------|--|
| 125. | Rosuvastatin Calcium & Asprin Capsules | Each hard gelatin Capsule contains: Rosuvastatin Calcium Eq. to Rosuvastatin(IR) Asprin | IP IP | 10mg 75mg | |
|-------------|--|--|----------|--------------|--|

| | | | | | |
|-------------|--|---|----------------------|---|--|
| | | Approved colour use empty capsule shell | | | |
| 126. | Pantoprazole Sodium (EC) & Levosulpride Sustained Release Capsules | Each hard gelatin Capsule contains: Pantoprazole sodium Sesquihydrate Eq. to Pantoprazole (As enteric coated pellets) Levosulpride (As sustained Release pellets) Approved colour used in empty Capsules shells. | IP IP | 40mg 75mg | |
| 127. | Diclofenac Sodium (SR) & Eperisone Hydrochloride (SR) Capsules | Each hard Gelatin Capsule contains: Diclofenac Sodium (SR) Eperisone Hydrochloride (SR) Approved colour use empty capsule shell | IP | 100mg 150mg | |
| 128. | Carbonyl Iron, Folic Acid, Zinc Sulphate, Vitamin B12 & Vitamin C Capsules | Each hard Gelatin Capsule contains: Carbonyl Iron Folic Acid Vitamin B12 Vitamin C Zinc Sulphate Mono Excipients Approved color used in empty capsule shells. | IP IP IP IP | 100mg 1.5mg 15mcg 75mg 61.8mg q.s. | |
| 129. | Acebrophylline Capsules 100 mg | Each hard gelatin Capsule contains: Acebrophylline Excipients Approved colour used in empty Capsules shells. | IP | 100mg q.s. | |
| 130. | Pantoprazole & Itopride Sustained Release Capsules. | Each hard gelatin Capsule contains: Pantoprazole sodium (As enteric coated pellets) Itopride (As sustained Release pellets) Approved colour used in empty Capsules shells. | IP IP | 40mg 150mg | |

| | | | | | |
|-------------|--|--|----------|------------------------|--|
| 131. | Pregabalin & Methylcobalamin Capsules. | Each hard gelatin capsule contains: Pregabalin Methylcobalamin Excipients Approved colour used | USP | 75mg 750mcg q.s. | |
| 132. | Esomeprazole (EC) & Levosulpride (SR) Capsules | Each hard Gelatin Capsule contains: Esomeprazole Magnesium Eq. to Esomeprazole (As enteric coated pellets) Levosulpride (As sustained release pellets) Approved colour used in empty capsule shells | IP IP | 40mg 75mg | |

| | | | | | |
|-------------|---|---|----------------|-----------------------|--|
| 133. | Oxetacaine, Aluminium Hydroxide & Magnesium | Each 5 ml contains: Dried Aluminium Hydroxide Magnesium Hydroxide Oxetacaine | IP IP BP | 291mg 98mg 10mg | |
|-------------|---|---|----------------|-----------------------|--|

| | | | | | |
|------|---|---|----------------|---------------------|--|
| | Hydroxide Suspension | Sugar Free base Approved color used | | | |
| 134. | Sucralfate & Oxetacaine Oral Suspension | Each 5 ml contains: Sucralfate Oxetacaine In a flavoured Syrup Base | USP BP | 1gm 20mg | |
| 135. | Paracetamol, Chlorpheniramine Maleate, Phenylephrine Hydrochloride Suspension For Pediatric Use | Each 5ml contains: Paracetamol Phenylphrine Hydrochloride Chlorpheniramine Maleate In flavoured palatable base Approved color used | IP IP IP | 250mg 5mg 2mg | |
| 136. | Racecadotril Oral Suspension | Each 5ml contains: Racecadotril In Flavoured Syrup base Approved colour used | | 10mg | |

| | | | | | |
|------|---|---|----------------|----------------------------|--|
| 137. | Liquid Paraffin, Milk of Magnesia, Sodium Picosulphate Suspension | Each 5 ml contains: Liquid Paraffin Milk of Magnesia Sodium Picosulphate In Flavoured palatable base Approved color used | IP IP BP | 1.25ml 3.75ml 3.33mg | |
| 138. | Cyproheptadine & Tricholine Citrate Syrup | Each 5ml contains: Cyproheptadine Hydrochloride Tricholine Citrate (65%) Sorbitol Solution (70%) In flavoured syrup base Approved color used | IP IP | 2mg 275mg q.s. | |
| 139. | Deflazacort Oral Suspension | Each 5ml contains: Deflazacort In Flavoured Syrup base Approved color used | | 6mg | |
| 140. | Sodium Picosulfate Oral solution BP 5mg | Each 5 ml contains: Sodium Picosulfate In a palatable sorbitol base Approved colour used | BP | 5mg | |
| 141. | Lactulose Solution USP 10gm | Each 15 ml contains: Lactulose (As Lactulose Concentrate) In a palatable flavoured base. | IP | 10gm | |
| 142. | Sucralfate Oral Suspension | Each 5ml contains: Sucralfate In Flavoured Syrup base Approved colour used | USP | 1gm | |
| 143. | Levofloxacin & Ornidazole Suspension | Each 5ml contains: Levofloxacin Himydrate Ornidazole In Flavoured Syrup base Approved colour used | IP IP | 125mg 125mg | |
| 144. | Ferrous Ascorbate, Folic Acid & Suspension | Each 5ml contains: Ferrous Ascorbate Eq. to Elemental Iron | IP | 30mg | |

| | | | | | |
|--|--|---|----|--------|--|
| | | Folic Acid In Flavoured Syrup base Approved colour used | IP | 550mcg | |
|--|--|---|----|--------|--|

| | | | | | |
|-------------|---|---|----------------------|--------------------------------|--|
| 145. | Paracetamol Paediatric Oral Suspension IP 250mg | Each 5ml contains: Paracetamol In Flavoured Syrup base Approved colour used | IP | 250mg | |
| 146. | Paracetamol Paediatric Oral Suspension IP 125mg | Each 5ml contains: Paracetamol In Flavoured Syrup base Approved colour used | IP | 125mg | |
| 147. | Ofloxacin Oral Suspension IP | Each 5ml contains: Ofloxacin In Flavoured Syrup base Approved colour used. | IP | 50mg q.s. | |
| 148. | Ofloxacin & Ornidazole Oral Suspension | Each 5ml contains: Ofloxacin Ornidazole In Flavoured Syrup base Approved colour used. | IP IP | 50mg 125mg | |
| 149. | Paracetamol & Mefenamic Acid Suspension. | Each 5ml contains: Paracetamol Mefenamic Acid In Flavoured Syrup base Approved colour used. | IP IP | 125mg 50mg | |
| 150. | Paracetamol, Chlorpheniramine Maleate, Phenylephrine Hydrochloride Suspension For Pediatric Use | Eah 5ml contains: Paracetamol Phenylephrine Hydrochloride Chlorpheniramine Maleate In flavoured palatable base Approved color used | IP IP IP | 125mg 2.5mg 1mg | |
| 151. | Calcium Carbonate, Zinc Sulphate, Vitamin D3, & Magnesium Suspension | Each 5ml contains. Cacium Carbonate Zinc Sulphate Vitamin D3 Magnesium hydroxide In Flavoured Syrup base Approved colour used. | IP IP IP IP | 625mg 4mg 200IU 100mg | |
| 152. | Paracetamol & Mefenamic Acid Suspension. | Each 5ml contains. Paracetamol Mefenamic Acid In Flavoured Syrup base Approved colour used. | IP IP | 250mg 100mg | |

| | | | | | |
|-------------|--|--|----------|---------------|--|
| 153. | Aceclofenac & Paracetamol Suspension | Each 5ml contains. Aceclofenac Paracetamol In Flavoured Syrup base Approved colour used. | IP IP | 50mg 125mg | |
| 154. | Magaldrate & Simethicone Oral Suspension | Each 5ml contains. Magaldrate Simethicone In Flavoured Syrup base | IP IP | 400mg 20mg | |

| | | | | | |
|------|---|--|----------------|---------------------------------|--|
| | | Approved colour used. | | | |
| 155. | Potassium citrate & Citric Acid Oral Solution | Each 5ml contains. Potassium Citrate Citric Acid In Flavoured Syrup base Approved colour used. | IP IP | 1100mg 334mg | |
| 156. | Alpha Amylase & Papain Syrup | Each 5ml contains. Alpha Amylase(1:800) Papain In Flavoured Syrup base. Approved colour used. | IP IP | 75mg 60mg q.s. | |
| 157. | Iron III & Folic Acid Syrup | Each 5ml contains: Iron III hydroxide Polymaltose Complex Eq to elemental Iron Folic Acid In Flavoured Syrup base. Approved colour used. | IP | 50mg 500mcg q.s. | |
| 158. | Calcium ,Vitamin D3, vitamin B12 Suspension | Each 5ml contains. Dibasic Calcium Phosphate Vitamin D3 Vitamin B12 In Flavoured Syrup base Approved colour used. | IP IP IP | 300mg 500 IU 5mcg q.s. | |
| 159. | Azithromycin oral Suspension IP 100mg | Each 5ml contains. Azithromycin dehydrate Eq to Azithromycin In Flavoured Syrup base. Approved colour used. | IP | 100 mg q.s. | |

| | | | | | |
|------|---------------------------------------|---|----|----------------|--|
| 160. | Azithromycin oral Suspension IP 200mg | Each 5ml contains: Azithromycin dehydrate Eq to Azithromycin In Flavoured Syrup base. Approved colour used. | IP | 200 mg q.s. | |
|------|---------------------------------------|---|----|----------------|--|

| | | | | | |
|------|---|--|-------------------|----------------------------|--|
| 161. | Potassium Nitrate Medicated Oral Gel 5% w/w | Composition: Potassium Nitrate Sodium Benzoate In a pleasantly flavoured base | BP IP | 5% w/w 0.2% w/w q.s. | |
| 162. | Povidone Iodine & Sucralfate Ointment | Composition: Povidone Iodine Sucralfate Water soluble ointment base | IP USP q.s. | 5 % w/w 7% w/w q.s. | |
| 163. | Mupirocin Ointment IP 2% w/w | Composition: Mupirocin Cream base | IP | 2.0 % w/w q.s. | |

| | | | | | |
|-------------|--|---|----------------------------------|--|--|
| 164. | Linseed oil, Diclofenac Diethylamine, Merthyl Salicylate & Menthol Gel | Composition: Diclofenac Diethylamine Eq. to Diclofenac Sodium Methyl Salicylate Linseed Oil Menthol Benzyl Alcohol (As preservative) In a water washable base | BP IP IP IP IP IP | 1.16% w/w 1% w/w 10.0% w/w 3.0 % w/w 5% w/w 1 % w/w q.s. | |
| 165. | Chlorhexidine gloconate mouth wash solution | Composition: Chlorhexidine Gluconate Solution Diluted to Chlorhexidine Gluconate | IP | 0.2% w/w | |
| 166. | Clotrimazole Cream IP | Composition: Clotrimazole Cream base | IP | 1.0% w/w q.s. | |

| | | | | | |
|-------------|--|---|------------------|--|--|
| 167. | Ketoconazole & Zinc Pyrithione Shampoo | Composition: Ketoconazole Zinc Pyrithione Shampoo base Approved color used | IP | 2.0% w/w 1.0% w/w q.s. | |
| 168. | Povidone Iodine Solution IP | Composition: Povidone Iodine (0.5% available iodine) Purified water | IP | 5% w/w | |
| 169. | Povidone Iodine Ointment USP. | Composition: Povidone Iodine (Available Iodine 1% w/w) Water soluble ointment base. | USP | 10% w/w qs | |
| 170. | Mometasone Cream.IP | Composition: Mometasone Furoate Chlorocresol (As preservative) Cream base. | IP | 0.1% w/w 0.1% w/w q.s. | |
| 171. | Ciprofloxacin, Fluocinolone, Acetonide & Clotrimazole Cream IP | Composition: Ciprofloxacin Hcl Fluocinolone Acetonide Clotrimazole Cream base | IP IP IP | 0.5% w/w 0.025% w/ w 1.0% w/w q.s. | |
| 172. | Linezolid Tablet IP 600mg | Each film coated Tablet contains: Linezolid Excipients Approved colour used | IP | 600mg q.s. | |
| 173. | Cefixime Trihydrate & Lactic Acid Bacillus Dispersible Tablet | Each uncoated dispersible tablet contains: Cefixime Trihydrate Eq. to Cefixime (Anhydrous) Lactic Acid Bacillus Excipients | IP IP q.s. | 200mg 2.5 B.s. | |

| | | | | | |
|-------------|---|--|------------------|----------------------------------|--|
| 174. | Cefixime & Lactic Acid Bacillus Tablet | Each film coated Tablet contains: Cefixime Trihydrate Eq. to Cefixime (Anhydrous) Lactic Acid Bacillus Excipients | IP IP q.s. | 200mg 2.5 B.s. | |
| 175. | Cefixime & Ofloxacin, Lactic Acid Bacillus Tablet | Each film coated tablet contains: Cefixime Trihydrate Eq. to Cefixime (Anhydrous) Ofloxacin Lactic Acid Bacillus Excipients Approved colour used | IP IP IP | 200mg 200mg 60m.s. q.s. | |
| 176 | Cefixime dispersible Tablet 200mg | Each uncoated dispersible Tablet contains: Cefixime Trihydrate Eq. to Cefixime (Anhydrous) Excipients | IP | 200mg q.s. | |
| 177. | Cefpodoxime & Ofloxacin Tablet | Each uncoated Dispersible Tablet contains: Cefpodoxime Proxetil Eq. to Cefpodoxime Ofloxacin Excipients | IP IP | 200mg 200mg q.s. | |
| 178 | Cefpodoxime Proxetil dispersible Tablet 200mg | Each uncoated dispersible Tablet contains: Cefpodoxime Proxetil Eq. to Cefpodoxime Excipients | IP | 200mg q.s. | |
| 179. | Cefixime & Azithromycin Tablet | Each film coated Tablet contains: Cefixime Tryhydrate Eq. to Cefixime(Anhydrous) Azithromycin Eq. to Azithromycin(Anhydrous) Excipients Approved colour used | IP IP | 200mg 250mg q.s. | |
| 180. | Cefixime & Linezolid Tablet | Each film coated Tablet contains: Cefixime Tryhydrate Eq. to Cefixime(Anhydrous) Linezolid Excipients Approved colour used | IP IP | 200mg 600mg q.s. | |
| 190. | Cefixime Trihydrate & Lactic Acid Bacillus Tablet | Each Tablet contains: Cefixime Trihydrate Eq. to Cefixime (Anhydrous) Lactic Acid Bacillus Excipients | IP IP q.s. | 100mg 60m.s. | |
| 191. | Diclofenac potassium & Serratiopeptidase Tablets | Each film coated Tablet contains: Diclofenac Potassium Serratiopeptidase Excipients Approved colour used | BP IP | 50mg 15mg q.s. | |
| 192. | Ascorbic Acid Tablets IP 100mg | Each uncoated Tablet contains: Ascorbic Acid Excipients Approved colour used | IP | 100 mg | |

| | | | | | |
|-------------|--|---|----------------|--------------------------------|--|
| 193. | Dexamethasone Tablets IP 0.5mg | Each uncoated Tablet contains: Dexamethasone Excipients Approved colour used | IP | 0.5 mg q.s. | |
| 194. | Betamethasone sodium Phosphate Tablets IP 0.5mg | Each uncoated Tablet contains. Betamethasone sodium phosphate Eq to Betamethasone Excipients Approved colour used | IP | 0.5 mg q.s. | |
| 195. | Calcium Carbonate & Vitamin D3 Tablet | Each film coated Tablet contains. 1250 mg Calcium Carbonate from an organic source (Oyster Shell) Eq. to elemental Calcium Vitamin D3 Excipients Approved colour used | IP IP | 500mg 250 IU q.s. | |
| 196. | Prednisolone Tablets IP 5mg | Each uncoated Tablet contains. Prednisolone Excipients Approved colour used | IP | 5 mg q.s. | |
| 197. | Roxithromycin Tablet IP 150 mg | Each film coated Tablet contains. Roxithromycin Excipients | IP | 150mg | |
| 198. | Serratiopeptidase Tablet IP 10 mg | Each film coated Tablet contains. Serratiopeptidase (As enteric coated Granules) (Eq. to Serratiopeptidase 2000 Units) Excipients Approved colour used | IP | 10mg q.s. | |
| 199. | Acebrophylline, Montelukast Sodium & Levocetirizine hydrochloride Tablets | Each film coated Tablet contains: Acebrophylline (SR) Levocetirizine hydrochloride Montelukast Sodium Eq. to Montelukast Excipients Approved colour used | IP IP IP | 200mg 5mg 10mg qs | |
| 200. | Deflazacort Tablets 30 mg | Each uncoated Tablet contains: Deflazacort Excipients Approved colour used | | 30mg | |
| 201. | Itraconazole Capsules IP 100mg | Each hard gelatin Capsule contains: Itraconazole Approved colour used in empty Capsules shells. | IP | 100mg | |
| 202. | Itraconazole Capsules IP 200mg | Each hard gelatin Capsule contains: Itraconazole Approved colour used in empty Capsules shells. | IP | 200mg | |
| 203. | Piroxicam Capsules IP | Each hard gelatin Capsule contains: Piroxicam Excipients Approved colour use empty capsule shell | IP | 20mg q.s. | |

| | | | | | |
|------|--|---|----------------|----------------------------|--|
| 204. | Ompرازole Capsules IP | Each hard gelatin Capsule contains: Ompرازole (As enteric coated pellets) Approved colour used in empty Capsules shells. | IP | 20mg | |
| 205. | Indomethacin Capsules IP | Each hard gelatin Capsule contains: Indomethacin Excipients Approved colour use empty capsule shell | IP | 25mg q.s. | |
| 206. | Diphenhydramine Capsules IP 25mg | Each hard gelatin Capsule contains: Diphenhydramine Hydrochloride Excipients Approved colour used in empty capsules shells. | IP | 25mg q.s. | |
| 207. | Omeprazole & Domperidone Capsules | Each hard gelatin Capsule contains: Omeprazole (As enteric coated granules) Domperidone Excipients Approved colour used in empty capsule shells. | IP IP | 20mg 10mg q.s. | |
| 208. | Rabepرازole Sodium EC & Domperidone Sustained Release Capsules | Each hard gelatin Capsule contains: Rabepرازole Sodium (As enteric coated pellets) Domperidone (As sustained Release pellets) Approved colour used in empty Capsules shells. | IP IP | 20mg 30mg | |
| 209. | Iron III, Folic Acid Capsules (for Therapeutic use) | Each hard gelatin Capsule contains: Iron III Hydroxide Polymaltose Complex Eq. to Elemental Iron Folic Acid Approved colour used in empty Capsules shells Excipients | IP | 100mg 550mcg q.s. | |
| 300. | Rabepرازole & Levosulpiride Sustained Release Capsules. | Each hard gelatin Capsule contains: Rabipرازole sodium (As enteric coated pellets) Levosulpiride (As sustained Release pellets) Approved colour used in empty Capsules shells. | IP IP | 20mg 75mg | |
| 301. | Amoxycillin & Dicloxacillin and Lactic Acid Bacillus Capsules | Each hard gelatin Capsule contains: Amoxycillin Tryhydrate Eq. to Amoxycillin Dicloxacillin Sodium Eq. to Dicloxacillin Lactic Acid Bacillus Approved colour used in empty Capsules shells. | IP IP IP | 250mg 250mg 2.5 b.s. | |
| 302. | Amoxycillin Capsules IP 250 mg | Each hard gelatin Capsule contains: Amoxycillin Tryhydrate Eq. to Amoxycillin Approved colour used in empty | IP | 250mg | |

| | | | | | |
|------|--|--|----------------------------------|--|--|
| | | Capsules shells. | | | |
| 303. | Amoxicillin Capsules IP 500mg | Each hard gelatin Capsule contains: Amoxicillin Tryhydrate Eq. to Amoxicillin Approved colour used in empty Capsules shells. | IP | 500mg | |
| 304. | Amoxicillin & Dicloxacillin and Capsules | Each hard gelatin Capsule contains: Amoxicillin Tryhydrate Eq. to Amoxicillin Dicloxacillin Sodium Eq. to Dicloxacillin Approved colour used in empty Capsules shells. | IP IP | 250mg 250mg | |
| 305. | Luliconazole Cream 1% w/w | Composition: Luliconazole Benzyl Alcohol In a cream base | IP q.s. | 0.75% w/w 2.5% w/w | |
| 306. | Kojic Acid & Vitamin C cream | Composition: Kojic Acid Vitamin C (As preservative) | IP | 0.75% w/w 2.5% w/w | |
| 307. | Terbinafine Hydrochloride Cream 1% w/w | Composition: Terbinafine Hydrochloride Cream base | IP | 1.0 % w/w | |
| 308. | Ofloxacin, Ornidazole, Terbinafine Hydrochloride & Clobetasol Propionate Cream | Composition: Clobetasol Propionate Ofloxacin Ornidazole Terbinafine Hydrochloride Methyl Paraben (As preservative) Propyl Paraben (As preservative) In a cream base | IP IP IP IP IP IP | 0.05 % w/w 0.75% w/w 2.0 % w/w 1.0 % w/w 0.20%w/w 0.02%w/w q. s. | |
| 309. | Mometasone Cream IP | Composition: Mometasone Furoate Chlorocresol (As preservative) Cream base | IP | 0.1% w/w 0.1 % w/w | |
| 400. | Clobetasol Propionate & Salicylic Acid Cream | Composition: Clobetasol Propionate Salicylic Acid Cream base | IP IP | 0.05% w/w | |
| 401. | Mometasone, Tretinoin & Hydroquinone Cream | Composition: Mometasone Furoate Tretinoin Hydroquinone Cream base | USP IP IP q.s. | 0.1% w/w 0.025% w/ w 2.0%w/w | |
| 402. | Permethrin Cream | Composition: Permethrin Cream base | IP | 5 % w/w q.s. | |
| 403. | Helobetasol Propionate & Salicylic Acid Ointment | Composition: Each per gm contains: Helobetasol Propionate Salicylic Acid (As preservative) | IP IP | 0.5mg 30mg | |

| | | | | | |
|------|---|--|----------------------|---|--|
| 404. | Clobetasol Propionate, Neomycin Sulphate & Miconazole Nitrate Cream | Composition: Clobetasol Propionate Neomycin Sulphate Miconazole Nitrate Chlorocresol (As preservative) | IP IP IP IP | 0.05% w/w 0.5% w/w 2.0% w/w 0.1% w/w q.s. | |
| 405. | Acebrophylline Syrup | Each ml contains: Acebrophylline In flavoured menthol Syrup base Approved color used | IP | 10mg | |
| 406. | Levosambutamol, Ambroxol, Guaiphenesin Syrup | Each 5ml contains: Levosambutamol Sulphate Ambroxol Hydrochloride Guaiphenesin In Flavoured Syrup base Approved color used | IP IP IP | 1mg 30mg 50mg | |
| 407. | Paracetamol, Chlorpheniramine Maleate Phenylephrine Hydrochloride Syrup For Pediatric use | Each 5ml contains: Paracetamol Phenylephrine Hydrochloride Chlorpheniramine Maleate In flavoured syrup base Approved color used | IP IP IP | 250mg 5mg 2mg | |
| 408. | Phenylephrine Hydrochloride & Chlorpheniramine Maleate Syrup | Each 5ml contains: Phenylephrine Hydrochloride Chlorpheniramine Maleate In Flavoured Syrup base Approved colour used | IP IP | 5mg 2mg | |
| 409. | Terbutaline Sulphate, Bromhexine Hcl, Guaiphenesin & Menthol Syrup | Each 5ml contains: Terbutaline Sulphate Bromhexine Hydrochloride Guaiphenesin Menthol In Flavoured Syrup base Approved colour used | IP IP IP IP | 1.25mg 2mg 50mg 0.5mg | |
| 410. | Dextromethorphan Hydrobromide, Chlorpheniramine Maleate, Pheniramine Hydrochloride Syrup. | Each 5ml contains: Dextromethorphan Hydrobromide Phenylephrine Hydrochloride Chlorpheniramine Maleate In Flavoured Syrup Base Approved colour used. | IP IP IP | 10mg 5mg 2mg q.s. | |
| 411. | Levocetirizine Dihydrochloride & Montelukast Sodium Syrup. | Each 5ml contains. Levocetirizinedihydrochloride Montelukast Sodium Eq to Montelukast In Flavoured Syrup base Approved colour used. | IP IP | 2.5mg 4mg | |
| 412. | Terbutaline Sulphate, Ambroxol, Guaiphenesin & Manthol Syrup | Each 5ml contains. Terbutaline Sulphate Eq to Terbutaline Ambroxol hydrochloride Guaiphenesin Menthol In Flavoured Syrup base Approved colour used. | IP IP IP IP | 1.25mg 15mg 50mg 2mg | |

| | | | | | |
|-------------|---|---|----------------|--------------------------|--|
| 413. | Paracetamol & Phenylephrine hydrochloride & Chlorpheniramine Maleate Syrup. | Each 5ml contains. Paracetamol Phenylephrine hydrochloride Chlorpheniramine Maleate In Flavoured Syrup base Approved colour used. | IP IP IP | 125mg 2.5mg 1mg | |
| 414. | Paracetamol & Phenylephrine hydrochloride & Chlorpheniramine Maleate Syrup. | Each 5ml contains. Paracetamol Phenylephrine hydrochloride Chlorpheniramine Maleate In Flavoured Syrup base Approved colour used. | IP IP IP | 125mg 5mg 1mg | |
| 415. | Cefixime Trihydrate & Ofloxacin Oral Suspension | Each 5ml (Reconstituted) contains: Cefixime Trihydrate Eq. to Cefixime Ofloxacin Excipients Approved color used | IP IP | 50mg 50mg q.s. | |
| 416. | Cefpodoxime Proxetil Oral Suspension IP | Each 5ml (Reconstituted) contains: Cefpodoxime Proxetil Eq. to Cefpodoxime Excipients Approved colour used | IP | 100mg q.s. | |
| 417. | Cefpodoxime & Potassium Clavulanate Oral Suspension. | Each 5ml(Reconstituted)contains: Cefpodoxime Proxetil Eq .to Cefpodoxime Potassium Clavulanate(diluted) Eq. to Potassium Clavulanate Excipients Approved couler used | IP IP | 50mg 31.25mg qs | |
| 418. | Amoxicillin & Potassium clavulanate Oral Suspension | Each 5ml(Reconstituted) contains: Amoxicillin Tryhydrate Eq. to Amoxicillin Potassium Clavulanate Eq .to Clavulanate Excipients Approved colour used | IP IP | 400mg 57 mg | |
| 419. | Cefxime & Oral Suspension | Each 5ml (Reconstituted)contains: Cefixime Tryhydrate Eq.to Cefixime (Anhydrous) Excipients Approved colour used | IP | 100mg | |
| 420. | Cephalexin oral suspension IP | Each 5ml (Reconstituted) Cephalexin Excipients Approved colour used | IP | 125mg | |
| 421. | Amoxicillin Oral Suspension IP | Each 5ml(Reconstituted) Amoxicillin Tryhydrate Eq. to Amoxicillin Approved colour used | IP | 125mg | |
| 422. | Amoxicillin & Potassium clavulanate Oral Suspension | Each 5ml (Reconstituted)contains: Amoxicillin Tryhydrate Eq. to Amoxicillin Potassium Clavulanate Eq .to Clavulanate Excipients Approved colour used | IP IP | 200mg 28.5 mg q.s. | |

| | | | | | |
|------|--|--|-----------------------------------|---|--|
| 423. | Cefpodoxime Oral Suspension. | Each 5ml(Reconstituted)contains: Cefpodoxime Proxetil Eq .to Cefpodoxime Excipients Approved couler used | IP | 50mg q.s. | |
| 424. | Cefixime Oral Suspension | Each 5ml (Reconstituted)contains: Cefixime Tryhydrate Eq.to Cefixime (Anhydrous) Excipients Approved colour used | IP | 50mg | |
| 425. | Betahistine Di hydrochloride tablet IP 8mg | Each film coated Tablet contains: Betahistine di hydrochloride Excipients Approved colour used | I.P. | 8 mg | |
| 426 | Betahistine Di hydrochloride tablet IP16 mg | Each film coated Tablet contains: Betahistine di hydrochloride Excipients Approved colour used | I.P. | 16 mg | |
| 427. | Ursodeoxycholic Acid Tablets. 150mg | Each film coated Tablet contains: Ursodeoxycholic Acid Excipients Approved colour used | I.P. | 150mg | |
| 428 | Montelukast Sodium & Levocetirizine hydrochloride Tablets. | Each uncoated Dispersible Tablet contains: Levocetirizine hydrochloride Montelukast Sodium Eq. to Montelukast Excipients Approved colour used | I.P. I.P. | 2.5mg 5mg | |
| 429 | Esomeprazole & Domperidone Sustained Release Capsules. | Each Hard gelatin Capsule contains: Esomeprazole Magnesium Eq. to Esomeprazole (As enteric coated pellets) Domperidone (As sustained Release pellets) Approved colour used in empty Capsules shells. | I.P. I.P. | 40mg 30mg | |
| 430 | Methylcobalamine & Gabapentin Tablets. | Each film coated Tablet contains: Methylcobalamine Gabapentin Excipients Approved colour used | I.P. | 500mcg 100mg | |
| 431. | Methylcobalamin, Alpha lipoic Acid, Pyridoxine , Folic Acid ,Benfothiamine Calcium pantothenate &Nicotinamide capsules | Each Hard gelatin capsule contains: Methylcobalamin Alpha lipoic Acid Pyridoxine hydrochloride Benfothiamine Calcium Pantothenate Folic Acid Nicotinamide Approved colour used in capsule shell. | USP IP IP IP IP IP | 750mcg 100mg 1.5mg 7.5mg 25mg 0.75mg 50mg | |
| 432 | Pregabalin, Methylcobalamin, , Pyridoxine & Folic Acid ,Benfothiamine | Each Hard gelatin capsule contains: Pregabalin Methylcobalamin Benfothiamine Pyridoxine hydrochloride | IP IP IP | 75mg 750mcg 7.5mg 1.5mg | |

| | | | | | |
|-------------|--|---|--|---|--|
| | capsules | Folic Acid Approved colour used in capsule shell. | IP | 0.75mg | |
| 433 | Methylcobalamin, Alpha lipoic Acid, Pyridoxine , Folic Acid, Benfothiamine Calcium pantothenate, Zinc oxide, Chromium picolinate, Inositol & Lutein capsules | Each Hard gelatin capsule contains: Methylcobalamin Alpha lipoic Acid Pyridoxine hydrochloride Benfothiamine Calcium Pantothenate Folic Acid Zinc oxide Chromium picolinate Inositol Lutein Approved colour used in capsule shell. | USP IP IP IP IP IP IP IP IP | 1500mcg 100mg 3 mg 15mg 25mg 1.5mg 22.5mg 65mcg 110mcg 5mg | |
| 434 | Methylcobalamin, Alpha lipoic Acid, Pyridoxine , Folic Acid Thaimine, Calcium pantothenate, Vitamin E & Betacarotene Tablet | Each Film Coated tablet contains: Methylcobalamin Alpha lipoic Acid Pyridoxine hydrochloride Thaimine Mononitrate Calcium Pantothenate Folic Acid Vitamin E Beta Carotene Excipients. Approved colour used. | JP USP IP IP IP IP IP IP USP | 500mcg 50mg 1.5mg 10mg 10mg 1.5mg 25 IU 20.66mg qs. | |
| 435 | Methylcobalamin, Pyridoxine hydrochloride & Folic Acid Capsule. | Each Hard gelatin capsule contains: Methylcobalamin Pyridoxine hydrochloride Folic Acid Approved colour used in capsules shell. | IP IP | 1500mcg 1.5 mg 5 mg | |
| 436 | Aspirin & Atorvastatin Calcium Capsules. | Each Hard gelatin capsule contains: Aspirin Atorvastatin Calcium Eq to Atorvastatin Approved colour used in capsule shell | I.P I.P. | 150 mg 10 mg | |
| 437. | Telmisartan & Atorvastatin Calcium Tablets. | Each film coated Tablet contains: Telmisartan Atorvastatin Calcium Eq to Atorvastatin Excipients Approved colour used | I.P I.P. | 40mg 10 mg qs | |
| 438 | Metformin hydrochloride SR & Glimepride Tablets IP | Each uncoated Bilayered tablet contains: Metformin hydrochloride (As sustained Release) Glimepride Excipients | IP IP | 500mg 1mg qs | |
| 439 | Metformin hydrochloride SR & Glimepride Tablets IP | Each uncoated Bilayered tablet contains: Metformin hydrochloride (As sustained Release) Glimepride Excipients | IP IP | 500mg 2mg qs | |

| | | | | | |
|------------|--|---|--------------|---------------------------------|--|
| 440 | Metformin hydrochloride SR & Glimepride Tablets IP | Each uncoated Bilayered tablet contains: Metformin hydrochloride (As sustained Release) Glimepride | IP IP | 1000mg 1 mg | |
| 441 | Metformin hydrochloride SR & Glimepride Tablets IP | Each uncoated Bilayered tablet contains: Metformin hydrochloride (As sustained Release) Glimepride Excipients | IP IP | 500mg 2mg qs | |
| 442 | Metformin hydrochloride SR & Glimepride Tablets IP | Each uncoated Bilayered tablet contains: Metformin hydrochloride (As Sustained Release) Glimepride Excipients | IP IP | 1000mg 2mg qs | |
| 443 | Omeprazole & Domperidone Sustained Release Capsules. | Each Hard gelatin Capsule contains: Omeprazole (As enteric coated pellets) Domperidone (As sustained Release pellets) Approved colour used in empty Capsules shells. | I.P. I.P. | 20mg 30mg | |
| 444 | Feropenem Sodium Tablet IP 200mg | Each film coated Tablet contains: Feropenem Sodium Excipients Approved colour used | I.P. | 200mg qs | |
| 445 | Ferrous bisglycinate, Folic Acid & Zinc Bis glycinate, Methylcobalamine Tablet | Each film coated Tablet contains: Ferrous Bisglycinate Folic Acid Zinc Bis glycinate Methylcobalamine Excipients Approved colour used | I.P. | 60mg 1 mg 15mg 500 mcg | |
| 446 | Aceclofenac, & Drotaverine hydrochloride Tablet | Each film coated Tablet contains: Aceclofenac Drotaverine Excipients Approved colour used | I.P. I.P. | 100mg 80 mg qs | |
| 447 | Paracetamol Tablet IP 500mg | Each Uncoated Tablet contains: Paracetamol Excipients | I.P. | 500mg qs | |
| 448 | Paracetamol Tablet IP 650mg | Each Uncoated Tablet contains: Paracetamol Excipients | I.P. | 650mg qs | |
| 449 | Ambroxol hydrochloride (SR) & Levocetirizine hydrochloride Tablets. | Each un coated Tablet contains: Levocetirizine hydrochloride Ambroxol hydrochloride (As sustained Release) Excipients Approved colour used | I.P. I.P. | 5 mg 75 mg | |

| | | | | | |
|------------|--|--|----------------------|---|--|
| 450 | Etoricoxib, Methyl Salicylate, Menthol & Linseed Oil gel base. | Each gram contains: Etoricoxib Methyl Salicylate Menthol Linseed oil Excipients In gel Base | IP IP IP BP | 10mg 100mg 50mg 30mg qs | |
| 451 | Aspirin & Atorvastatin Calcium Capsules. | Each Hard gelatin capsule contains: Aspirin Atorvastatin Calcium Eq. to Atorvastatin Approved colour used in capsule shell | I.P. I.P. | 75 mg 10 mg | |
| 452 | Vildagliptin Tablet 50mg | Each uncoated tablet contains: Vildagliptin Excipients | I.P. | 50mg qs | |
| 453 | Vildagliptin Tablet 100mg | Each uncoated tablet contains: Vildagliptin Excipients | I.P. | 100mg qs | |
| 454 | Artemether & Lumefantrine Dry Syrup | Each 5ml contains: Artemether Lumefantrine Excipients | IP | 80mg 480mg qs | |
| 455 | Etodolac Tablet ER 400mg | Each film coated ER tablet contains: Etodolac Excipients Approved colour used. | I.P. | 400mg qs | |
| 456 | Etodolac Tablet ER 500mg | Each film coated ER tablet contains: Etodolac Excipients Approved colour used. | I.P. | 500mg qs | |
| 457 | Sitagliptin Phosphate Tablets IP 100mg | Each film coated tablet contains: Sitagliptin (As Phosphate) Excipients Approved colour used. | IP | 100mg qs | |
| 458 | Sitagliptin Phosphate Tablets IP 50mg | Each film coated tablet contains: Sitagliptin (As Phosphate) Excipients Approved colour used. | IP | 50mg qs | |
| 459 | Ferrous Ascorbate Folic Acid Cyanocobalamin Zinc Sulphate Monohydrate Tablet | Each Film coated tablet contains: Ferrous Ascorbate Folic Acid Cyanocobalamin Zinc Sulphate Monohydrate Eq. to Elemental Zinc Excipients Approved colour used | IP IP IP IP | 100mg 1.5mg 15mcg 22.5mg qs | |
| 460 | Amoxicillin & Potassium clavulanate Tablet | Each film coated Tablet contains: Amoxicillin Trihydrate Eq. to Amoxicillin Potassium Clavulanate Eq. to Clavulanate Excipients | IP IP qs | 500mg 125mg | |
| 461 | Amoxicillin & Potassium clavulanate Tablet | Each film coated Tablet contains: Amoxicillin Trihydrate Eq. to Amoxicillin Potassium Clavulanate | IP IP | 250mg | |

| | | | | | |
|------------|---|--|----------|--------------------------|--|
| | | Eq. to Clavulanate Excipients | | 125mg qs | |
| 462 | Amoxicillin & Potassium clavulanate Dispersible Tablet | Each uncoated dispersible Tablet contains: Amoxicillin Trihydrate Eq. to Amoxicillin Potassium Clavulanate Eq. to Clavulanate Excipients | IP IP | 200mg 28.5mg qs | |
| 463 | Cefpodoxime & Potassium Clavulante Tablet | Each film coated tablet contains: Cefpodoxime Proxetil Eq. to Cefpodoxime Potassium Clavulanate(diluted) Eq. to Potassium Clavulanate Excipients Approved colour used | IP IP | 200mg 125mg qs | |
| 464 | Cefixime & Potassium Clavulante Tablet | Each film coated Tablet contains: Cefixime Tryhydrate Eq. to Cefixime(Anhydrous) Potassium Clavulante (diluted) Eq. to Potassium Clavulanate Excipients Approved colour used | IP IP | 200mg 125mg qs | |
| 465 | Cefixime & Potassium Clavulante Dry Syrup | Each 5ml (Reconstituted) contains. Cefixime Trihydrate Eq. to Cefixime Potassium Clavulante (diluted) Eq. to Potassium Clavulante Excipients Approved colour used | IP IP | 100mg 62.5mg q.s. | |
| 466 | Cefuroxime & Potassium Clavulante Tablet | Each film coated Tablet contains. Cefuroxime Axetil Eq. to Cefuroxime (Anhydrous) Potassium Clavulanate (diluted) Eq. to Potassium Clavulanate Excipients Approved colour used | IP IP | 250 mg 125mg q.s | |
| 467 | Cefuroxime & Potassium Clavulante Tablet | Each film coated Tablet contains. Cefuroxime Axetil Eq. to Cefuroxime (Anhydrous) Potassium Clavulanate (diluted) Eq. to Potassium Clavulanate Excipients Approved colour used | IP IP | 500 mg 125mg q.s. | |
| 468 | Tamsulosin Hydrochloride (MR) Dutasteride Tablets | Each uncoated Tablet contains. Tamsulosin (MR) Dutasteride Excipients | IP IP | 0.4 mg 0.5 mg q.s. | |
| 469 | Tamsulosin Hydrochloride & Finastride MR Capsules. | Each Hard gelatin Capsule contains. Tamsulosin Finastride (MR) Approved colour used in empty | IP IP | 0.4 mg 5 mg | |

| | | | | | |
|------------|---|--|-----------|----------------------------|--|
| | | Capsules shells. | | | |
| 470 | Aspirin Clopidogrel Bisulphate Capsules. | Each Hard gelatin Capsule contains. Aspirin (As enteric coated pellets) Clopidogrel Bisulphate Eq. to Clopidogrel Approved colour used in empty Capsules shells. | IP IP | 75mg 7 5 mg | |
| 470 | Aspirin Clopidogrel Bisulphate Capsules. | Each Hard gelatin Capsule contains. Aspirin (As enteric coated pellets) Clopidogrel Bisulphate Eq. to Clopidogrel Approved colour used in empty Capsules shells. | IP IP | 75mg 150 mg | |
| 471 | Cinnarazine & Domperidone Tablets | Each film coated Tablet contains: Cinnarazine Domperidone Excipients Approved colour used | IP IP | 20 mg 15 mg qs | |
| 472 | Moxifloxacin Hydrochloride Tablets | Each film coated Tablet contains: Moxifloxacin Hydrochloride Excipients Approved colour used | IP | 400 mg qs. | |
| 473 | Letrozole Tablets 2.5 mg | Each film coated Tablet contains: Letrozole Excipients Approved colour used | | 2.5 mg qs. | |
| 474 | Telmisartan & Amlodipine Tablets. | Each film coated Tablet contains. Telmisartan Amlodipine Besylate Eq. to Amlodipine Excipients Approved colour used | IP IP | 80mg 5mg qs | |
| 475 | Mebeverine Hydrochloride Prolonged release Capsules. | Each Hard gelatin Capsule contains. Mebeverine Hydrochloride (Prolonged Release) Approved colour used in empty Capsules shells. Excipients | IP | 200mg qs | |
| 476 | Mometasone &Terbinafine Hydrochloride Cream. | Compositions:- Mometasone Furoate Terbinafine hydrochloride Cream base. | USP IP | 0.1% w/w 1.0% w/w qs | |
| 477 | Clindamycin Phosphate & Tretinoin Topical Gel. | Compositions:- Clindamycin Phosphate Eq. to Clindamycin Tretinoin | IP IP | 1 % w/w 0.025% w/ | |

| | | | | | |
|------------|---|--|-----------------------|--|--|
| | | Gel base. | | w qs | |
| 478 | Clindamycin Phosphate & Adapalene Gel. | Each gram contains:- Clindamycin Phosphate Eq. to Clindamycin Adapalene Gel base. | IP IP | 10 mg 1 mg qs | |
| 479 | Montelukast Sodium & Doxophylline (SR) Tablets. | Each film coated Tablet contains: Doxophylline (SR) Montelukast Sodium Eq. to Montelukast Excipients Approved colour used | IP IP | 400 mg 10 mg | |
| 480 | Etodolac & Thiocolchicoside Tablets | Each film coated ER tablet contains: Etodolac Thiocolchicoside Excipients Approved colour used. | IP | 400mg 4 mg qs | |
| 481 | Methylcobalamin, Alpha Lipoic Acid, Vitamin D3, Pyridoxine hydrochloride & Folic Acid Tablet. | Each Film coated Tablet contains: Methylcobalamin Alpha Lipoic Acid Vitamin D3 Pyridoxine hydrochloride Folic Acid Approved colour used. | USP IP IP IP | 1500mcg 100 mg 1000 IU 3mg 1.5mg qs | |
| 482 | Tapentadol Hydrochloride Tablets 50mg | Each film coated tablet contains: Tapentadol Hydrochloride Excipients Approved colour used. | IP | 50mg qs | |
| 483 | Tapentadol Hydrochloride Tablets 75mg | Each film coated tablet contains: Tapentadol Hydrochloride Excipients Approved colour used. | IP | 75mg qs | |
| 484 | Tapentadol Hydrochloride Tablets 100mg | Each film coated tablet contains: Tapentadol Hydrochloride Excipients Approved colour used. | IP | 100mg qs | |
| 485 | Acetylcysteine Tablets. 600mg | Each uncoated Dispersible Tablet contains: Acetylcysteine Excipients Approved colour used | B.P. | 600 mg | |
| 486 | Sildosin Capsules 4mg. | Each hard gelatin capsule contains: Sildosin Approved color used in capsule shell | | 4mg | |
| 487 | Sildosin Capsules 8mg. | Each hard gelatin capsule contains: Sildosin Approved color used in capsule shell | | 8mg | |

| | | | | | |
|-------------|--|--|-----------------|--|--|
| 488 | Ferrous bisglycinate, Folic Acid, vitamin B12 & Zinc Picolinate Syrup. | Each 5ml contains. Ferrous Bisglycinate Eq. to Elemental Iron Folic Acid Vitamin B12 Zinc Picolinate Eq. to Elemental Zinc In Flavoured Syrup base Approved colour used. | IP IP | 75mg 15mg 0.25mg 3.75mcg 26 mg 5.5 mg | |
| 489. | Glimepride , Tablets IP 1mg | Each uncoated tablet contains: Glimepride Excipients | IP | 1 mg q.s. | |
| 490 | Glimepride , Tablets IP 2mg | Each uncoated tablet contains: Glimepride Excipients | IP | 2mg q.s. | |
| 491 | Losartan Potassium Tablets IP 25mg | Each film coated tablet contains: Losartan Potassium Excipients | IP | 25mg q.s. | |
| 492 | Losartan Potassium Tablets IP 50mg | Each film coated tablet contains: Losartan Potassium Excipients | IP | 50mg q.s. | |
| 493 | Losartan Potassium&, Hydrochlorthiazide Tablets | Each film coated tablet contains: Losartan Potassium Hydrochlorthiazide Excipients Approved color used | IP IP | 50 mg 12.5mg q.s. | |
| 494 | Losartan Potassium Amlodipine Besylate, Tablets | Each film coated tablet contains: Losartan Potassium Amlodipine Besylate Eq. to Amlodipine Excipients Approved color used | IP IP | 50mg 5mg q.s. | |
| 495 | Renolazine SR Tablet 500mg | Each film coated SR Tablet contains: Renolazine Excipients | IP | 500 mg | |
| 496 | Halobetasol Propionate Ointment | Composition: Halobetasol Propionate (As preservative) | | 0.05% w/w | |
| 497 | Clobetasol Propionate Ointment | Composition: Clobetasol Propionate (As preservative) | IP | 0.05% w/w | |
| 498 | Adapalene& Clindamycin Gel | Each Per gram contain. Adapalene Clindamycin Phosphate Eq. to Clindamycin In Gel Base | IP IP | 1 mg 10mg | |
| 499 | Diclofenac Potassium, Paracetamol & Chlorzoxazone | Each uncoated Tablet contains: Diclofenac Potassium Paracetamol Chlorzoxazone | BP IP USP | 50mg 325mg 250mg | |

| | | | | | |
|------|---|---|-----------------------------------|--|--|
| | Tablet | Excipients Approved colour used | | | |
| 500 | Dextromethorphan Hydrobromide, Chlorpheniramine Maleate, Syrup. | Each 5ml contains: Dextromethorphan Hydrobromide Chlorpheniramine Maleate In Flavoured Syrup Base Approved colour used. | IP IP | 10mg 2mg q.s. | |
| 501 | Voriconazole Tablet IP 200mg | Each uncoated Tablet contains: Voriconazole Excipients Approved colour used | IP | 200mg | |
| 502 | Linseed oil, Aceclofenac, Merthyl Salicylate, Capsaicin & Menthol Gel | Composition: Aceclofenac Methyl Salicylate Linseed Oil Menthol Capsaicin Benzyl Alcohol (As preservative) In a water washable base | IP IP IP IP USP IP | 1.5% w/w 10.0% w/w 3.0 % w/w 5.0% w/w 0.01% w/w 1 % w/w q.s. | |
| 503. | Clarithromycin Tablets IP 250mg | Each film coated tablet contains: Clarithromycin Excipients Approved colour used | IP | 250mg q.s. | |
| 504 | Clarithromycin Tablets IP 500mg | Each film coated tablet contains: Clarithromycin Excipients Approved colour used | IP | 500mg q.s. | |
| 505. | Terbinafine Hydrochloride Tablets IP 250mg | Each film coated tablet contains: Terbinafine Excipients Approved colour used | IP | 250mg q.s. | |
| 506 | Amoxicillin & cloxacillin and Lactic Acid Bacillus Capsules | Each hard gelatin Capsule contains: Amoxicillin Tryhydrate Eq. to Amoxicillin Cloxacillin Sodium Eq. to Cloxacillin Lactic Acid Bacillus Approved colour used in empty Capsules shells. | IP IP IP | 250mg 250mg 2.0 b.s. | |
| 507. | Trimethoprin & Sulphamethoxazole Tablet | Each film coated Tablet contains: Trimethoprin Sulphamethoxazole Excipients Approved colour used | IP IP | 80mg 400mg qs | |
| 508. | Zinc Gluconate Oral Solution. | Each 5ml contains: Zinc Gluconate In Flavoured Syrup Base Approved colour used. | IP | 20mg q.s. | |
| 509. | Cefixime & Cloxacillin Tablet | Each film coated Tablet contains: Cefixime Tryhydrate Eq. to Cefixime(Anhydrous) Cloxacillin sodium Eq to Cloxacillin Excipients Approved colour used | IP IP | 200mg 500mg qs | |
| 510 | Cefixime Dispersible Tablet 400mg | Each uncoated dispersible tablet contains: Cefixime Tryhydrate Eq. to Cefixime(Anhydrous) | IP | 400mg qs | |

| | | | | | |
|-----|---|---|----------------------------|--|--|
| | | Excipients Approved colour used | | | |
| 511 | Cefdinir Tablet IP 300mg | Each film coated tablet contains: Cefdinir Excipients Approved colour used | IP | 300mg qs | |
| 512 | Terbinafine Hydrochloride Tablets IP 500mg | Each film coated tablet contains: Terbinafine Excipients Approved colour used | IP | 500mg q.s. | |
| 513 | Nimesulide(ER)& Levocetizine Hcl Tablet | Each film coated Tablet contains. Nimesulide(ER) Levocetizine Hydrochloride Excipients Approved colour used | BP IP | 100mg 5mg q.s. | |
| 514 | Paracetamol, Phenylephrine hydrochloride Chlorpheniramine Maleate,Sodium citrate,Menthol Syrup. | Each 5ml contains: Paracetamol Chlorpheniramine Maleate Phenylephrine hydrochloride Sodium citrate Menthol In Flavoured Syrup Base Approved colour used. | IP IP IP IP IP | 125mg 0.5mg 5mg 60mg 1mg q.s. | |
| 515 | Levetiracetam Oral Solution. | Each ml contains: Levetiracetam In Flavoured Syrup Base Approved colour used. | IP | 100mg q.s. | |
| 516 | Salicylic Acid Foaming Facewash Solution. | Each Per gram contain. Salicylic Acid As preservative Base. | IP | 20mg | |
| 517 | Levetiracetam Tablets IP 250mg | Each film coated tablet contains: Levetiracetam Excipients Approved colour used | IP | 250mg q.s. | |
| 518 | Levetiracetam Tablets IP 500mg | Each film coated tablet contains: Levetiracetam Excipients Approved colour used | IP | 500mg q.s. | |
| 519 | Levetiracetam Tablets IP 750mg | Each film coated tablet contains: Levetiracetam Excipients Approved colour used | IP | 750mg q.s. | |
| 520 | Hydroxyzine hydrochloride Tablets IP 25mg | Each film coated tablet contains: Hydroxyzine hydrochloride Excipients Approved colour used | IP | 25mg q.s. | |
| 521 | Luliconazole Lotion 1% w/v | Composition: Luliconazole Benzyl Alcohol In a preservative base. | | 1.0 % w/v q s | |
| 522 | Montelukast Sodium& Olopatadine hydrochloride Tablets. | Each film coated Tablet contains: Montelukast Sodium Eq to Montelukast Olopatadine hydrochloride Excipients Approved colour used | IP IP | 10mg 5mg q.s. | |
| 523 | Etodolac Prolonged- Release Tablets IP 600mg | Each film coated prolonged release tablet contains: Etodolac Excipients | I.P. | 600mg qs | |

| | | | | | |
|------|---|---|----------------|---|--|
| | | Approved colour used. | | | |
| 524 | Ferrous Ascorbate Folic Acid Methylcobalamin Zinc Sulphate Monohydrate Tablet | Each Film coated tablet contains: Ferrous Ascorbate Eq to elemental Iron Folic Acid Methylcobalamin Zinc Sulphate Monohydrate Eq. to Elemental Zinc Excipients Approved colour used | IP IP IP | 100mg 1.1mg 1.5mg 22.5mg qs | |
| 525. | Hydroxychloroquine Sulphate Tablets IP 200mg | Each film coated tablet contains: Hydroxychloroquine Sulphate Excipients Approved colour used | IP | 200mg q.s. | |
| 526. | Hydroxychloroquine Sulphate Tablets IP 400mg | Each film coated tablet contains: Hydroxychloroquine Sulphate Excipients Approved colour used | IP | 400mg q.s. | |
| 527. | Montelukast Sodium Chewable Tablets. | Each uncoated chewable tablet contains: Montelukast Sodium Eq to Montelukast Excipients Approved colour used | IP | 10mg q.s. | |
| 528. | Dexrabeprazole Sodium EC & Domperidone Sustained Release Capsules | Each hard gelatin Capsule contains: Dexrabeprazole Sodium (As enteric coated pellets) Domperidone (As sustained Release pellets) Approved colour used in empty Capsules shells. | IP | 10mg 30mg | |
| 529. | Tranexamic Acid Mouth wash solution | Composition: Tranexamic Acid In Flavoured Base Approved colour used. | IP | 50mg | |
| 530. | Pregabalin Capsules.150mg | Each hard gelatin capsule contains: Pregabalin Excipients Approved colour used empty shell | USP | 150mg q.s. | |
| 531. | Mometasone, &Fusidic Acid Cream | Composition: Mometasone Furoate Fusidic Acid Cream base | USP IP | 0.1% w/w 2.0%w/w qs | |
| 532. | Misoprostol Tablet IP | Each uncoated tablet contains: Misoprostol Excipients Approved colour used | IP | 25mcg qs | |
| 533. | Misoprostol Tablet IP | Each uncoated tablet contains: Misoprostol Excipients Approved colour used | IP | 100mcg qs | |
| 534. | Misoprostol Tablet IP | Each uncoated tablet contains: Misoprostol Excipients Approved colour used | IP | 200mcg qs | |
| 535. | Racecadotril dispersible Tablet 10mg | Each uncoated dispersible tablet contains: Racecadotril Excipients | | 10mg qs | |

| | | | | | |
|------|---|--|-----------------|-----------------------------------|--|
| | | Approved colour used | | | |
| 536. | Sucralfate, Metronidazole Lignocain Cream. | Each per gram contains: Sucralfate Metronidazole Lignocain Hcl Benzyl Alcohol In a preservative base. | USP IP IP | 0.07gm 0.01gm 0.04gm q s | |
| 537. | Clindamycin hydrochloride Capsules.IP 300mg | Each hard gelatin capsule contains: Clindamycin hydrochloride Excipients Approved colour used empty shell | IP | 300mg q.s. | |
| 538. | Fexofenadine hydrochloride Suspension. | Each 5 ml contains: Fexofenadine hydrochloride In Flavoured Syrup Base Approved colour used. | IP | 30mg q.s. | |
| 539. | Fusidic Acid Cream | Composition: Fusidic Acid Cream base | IP | 2.0%w/w qs | |
| 540. | Ramipril Tablet IP 5mg | Each uncoated Tablet contains: Ramipril Excipients Approved colour used | IP | 5mg qs | |
| 541. | Fluconazole Tablets IP 150mg | Each uncoated Tablet contains: Fluconazole Excipients | IP | 150mg q.s. | |
| 542 | Azatioprine Tablet 50mg | Each film coated Tablet contains: Azatioprine Excipients Approved colour used | IP | 50mg q.s. | |
| 543 | Calcium Citrate,Malate &Vitamin D3 Tablet | Each film coated Tablet contains: Calcium citrate Malate Eq to elemental Calcium Vitamin D3 Excipients Approved colour used | USP IP | 250mg 200IU q.s. | |
| 544 | Acebrophylline (SR)Tablet 200 mg | Each film coated Tablet SR contains: Acebrophylline Excipients Approved colour used . | IP | 200mg q.s. | |
| 545 | Sertaconazole Nitrate & Zinc Pyrithione Shampoo. | Composition: Sertaconazole Nitrate Zinc Pyrithione Benzyl Alcohol In a preservative base. | | 2.0 % w/v 1.0%w/v q s | |
| 546 | Minoxidil Topical Lotion. | Composition: Each per ml contains. Minoxidil Benzyl Alcohol In a preservative base. | IP IP | 50mg qs | |
| 547 | Beclomethasone Dipropionate &Neomycin Cream | Composition: Beclomethasone Dipropionate Neomycin sulphate Eq to Neomycin Cream base | IP IP | 0.025% w/w 0.5 % w/w qs | |

| | | | | | |
|-----|---|--|----------------------|--|--|
| 548 | Ilaprazole Tablets. 10mg | Each enteric coated tablet contains: Ilaprazole Excipients Approved colour used | IP | 10mg q.s. | |
| 549 | Sertaconazole Nitrate Lotion 2% w/v | Composition: Sertaconazole Nitrate Benzyl Alcohol In a preservative base. | | 2.0 % w/v q s | |
| 550 | Salicylic Acid, Cetyl Alcohol & Stearyl Alcohol Lotion | Composition: Salicylic Acid Cetyl Alcohol Stearyl Alcohol Benzyl Alcohol In a preservative base. | IP IP IP IP | 2.0 % w/v 2.65%w/v 0.26%w/v q s | |
| 551 | Tacrolimus Ointment 0.1% w/w | Composition: Tacrolimus Benzyl Alcohol In a preservative base. | IP | 0.1% w/w q.s. | |
| 552 | Tacrolimus Ointment 0.03% w/w | Composition: Tacrolimus Benzyl Alcohol In a preservative base. | IP | 0.03% w/w q.s. | |
| 553 | Ketoconazole & Zinc Pyrithone Lotion | Composition: Ketoconazole Zinc Pyrithone Benzyl Alcohol In a preservative base. | IP IP IP | 2.0 % w/v 1.0% w/v q s | |
| 554 | Calamine & Liquid Paraffin Lotion | Composition: Calamine Liquid Paraffin Benzyl Alcohol In a preservative base. | IP IP IP | 8.0 % w/v 10.0% w/v q s | |
| 555 | Lornoxicam & Paracetamol Tablets | Each film coated Tablet contains: Lornoxicam Paracetamol Excipients Approved colour used | IP IP | 4mg 325mg q.s. | |
| 556 | Minoxidil Topical Lotion. | Composition: Each per ml contains. Minoxidil Benzyl Alcohol In a preservative base. | IP IP | 20mg qs | |
| 557 | Minocycline Tablet 100 mg | Each uncoated tablet contains: Minocycline Excipients Approved colour used | | 100mg qs | |
| 558 | Etodolac & Tolperisone Tablets | Each film coated tablet contains: Etodolac Tolperisone hydrochloride Excipients Approved colour used. | I.P. | 400mg 150mg qs | |
| 559 | Paracetamol Phenylephrine Hydrochloride, Caffeine, Diphenhydramine hydrochloride Tablet | Each uncoated Tablet contains: Paracetamol Phenylephrine Hydrochloride Diphenhydramine Hydrochloride Caffeine (Anhydrous) Excipients Approved color used | IP IP IP IP | 325mg 5mg 2mg 30mg q.s. | |

| | | | | | |
|------------|---|---|-----------------------------------|--|--|
| 560 | Pantoprazole Mouth Dissolving Tablets | Each Mouth dissolving tablet contains: Pantoprazole Sodium Sesquihydrate Eq. to Pantoprazole Excipients Approved colour used | IP | 20mg q.s. | |
| 561 | Etodolac, Linseed oil, Methyl Salicylate, Camphor & Menthol Gel | Composition: Etodolac Methyl Salicylate Linseed Oil Menthol Camphor Benzyl Alcohol (As preservative) In a water washable base | IP IP IP IP USP IP | 5% w/w 10.0% w/w 3.0 % w/w 5.0% w/w 4 % w/w 1 % w/w q.s. | |
| 562 | Orlistat Capsules 120mg | Each hard gelatin Capsule contains: Orlistat Approved colour used in empty Capsules shells. | USP | 120mg | |
| 563 | Levosambutamol, Syrup IP 1mg | Each 5ml contains: Levosambutamol Sulphate In Flavoured Syrup base Approved color used | IP | 1 mg | |
| 564 | Tacrolimus Capsules.0.5mg | Each hard gelatin capsule contains: Tacrolimus Excipients Approved colour used empty shell | IP | 0.5mg q.s. | |
| 565 | Tacrolimus Capsules 1mg | Each hard gelatin capsule contains: Tacrolimus Excipients Approved colour used empty shell | IP | 1 mg q.s. | |
| 566 | Tacrolimus Capsules 5mg | Each hard gelatin capsule contains: Tacrolimus Excipients Approved colour used empty shell | IP | 5mg q.s. | |
| 567 | Roflumilast Tablet | Each uncoated tablet contains: Roflumilast Excipients Approved colour used | IP | 500mcg qs | |
| 568 | Thiocolchicoside Tablet 4mg | Each film coated tablet contains: Thiocolchicoside Excipients Approved colour used | IP | 4mg q.s. | |
| 569 | Olmesartan & Amlodipine Tablets. | Each film coated tablet contains: Olmesartan Medoxomil Amlodipine besylate Eq to Amlodipine Excipients Approved colour used | IP IP | 20mg 5mg q.s. | |
| 570 | Pioglitazone Hydrochloride Tablets IP 30mg | Each uncoated tablet contains: Pioglitazone hydrochloride Excipients | IP | 30mg q.s. | |
| 571 | Ramipril Tablet IP 10mg | Each uncoated tablet contains: Ramipril Excipients Approved colour used | IP | 10mg qs | |

| | | | | | |
|-----|---|--|--|---|--|
| 572 | Ramipril Tablet IP 5mg | Each uncoated tablet contains: Ramipril Excipients Approved colour used | IP | 5mg qs | |
| 573 | Olmесartan & Hydrochlorthiazide Amlodipine. Tablets | Each film coated tablets contains: Olmесartan Medoxomil Hydrochlorthiazide Amlodipine Besylate Eq to Amlodipine Excipients Approved colour used | IP IP IP | 40mg 12.5mg 5mg q.s. | |
| 574 | Pioglitazone Hydrochloride Tablets IP 15mg | Each uncoated tablet contains: Pioglitazone hydrochloride Excipients | IP | 15mg q.s. | |
| 575 | Lafutidine Tablets 10mg | Each uncoated tablet contains: Lafutidine Excipients | | 10mg q.s. | |
| 576 | Ribavirin Capsules 200mg | Each hard gelatin capsule contains: Ribavirin Excipients Approved colour used empty shell | IP | 200mg q.s. | |
| 577 | Tranexamic Acid & Ethamsylate Tablets. | Each film coated tablet contains: Tranexamic Acid Ethamsylate Excipients Approved colour used | IP IP | 250mg 250mg q.s. | |
| 578 | Thiamine Mononitrate, Riboflavin,Pyridoxi ne hcl,Vit B12,Niacinamide, Calcium Pantothenate,Folic Acid,Biotin,Ascorbi c Acid Capsules. | Each hard gelatin capsule contains: Thiamine Mononitrate Riboflavin Pyridoxine hcl Vit B12 Niacinamide, Calcium Pantothenate, Folic Acid Biotin Ascorbic Acid Excipients Approved colour used empty shell | IP IP IP IP IP USP IP USP IP | 10mg 10mg 3.0mg 15mcg 100mg 50mg 1.5mg 100mcg 150mg q.s. | |
| 579 | Ribavirin Capsules 200mg | Each hard gelatin capsule contains: Ribavirin Excipients Approved colour used empty shell | IP | 200mg q.s. | |
| 580 | Minoxidil &Finasteride Topical Lotion. | Composition: Minoxidil Finasteride Benzyl Alcohol In a preservative base. | IP IP IP | 5.0% w/v 0.1% w/v qs | |
| 581 | Repaglinide Tablet IP 1mg | Each film coated Tablet contains: Repaglinide Excipients Approved colour used | IP | 1mg q.s. | |
| 582 | Repaglinide Tablet IP 2mg | Each film coated Tablet contains: Repaglinide Excipients Approved colour used | IP | 2mg q.s. | |

| | | | | | |
|-----|---|---|----------------|-------------------------------|--|
| 591 | Benidipine Hydrochloride Tablets 8mg | Each film coated Tablet contains: Benidipine Hydrochloride Excipients Approved color used. | | 8mg q.s. | |
| 592 | Tadalafil Orally Disintegrating Tablets 20mg | Each uncoated dispersible Tablet contains: Tadalafil Excipients Approved color used | IP | 20mg q.s. | |
| 593 | Tadalafil Orally Disintegrating Tablets 10mg | Each uncoated dispersible Tablet contains: Tadalafil Excipients Approved color used | IP | 10mg q.s. | |
| 594 | Metaxalone & Diclofenac Potassium Tablets | Each film coated Tablet contains: Metaxalone Diclofenac Potassium Excipients Approved color used. | USP BP | 400mg 50mg q.s. | |
| 595 | Cefdinir For oral suspension | Each 5 ml reconstitution contains: Cefdinir Excipients Approved colour used | IP | 250mg qs | |
| 596 | Metformin hydrochloride SR & Glimepride, Pioglitazone Tablets | Each uncoated Bilayered tablet contains: Metformin hydrochloride (As sustained Release) Glimepride Pioglitazone Hydrochloride Excipients Approved colour used. | IP IP IP | 500mg 1 mg 15mg q.s. | |
| 597 | Metformin hydrochloride SR & Glimepride, Pioglitazone Tablets | Each uncoated Bilayered tablet contains: Metformin hydrochloride (As sustained Release) Glimepride Pioglitazone Hydrochloride Excipients Approved colour used. | IP IP IP | 500mg 2mg 15mg q.s. | |
| 598 | Citicholine & Piracetam Tablets | Each film coated Tablet contains: Citicholine Sodium Eq. to Citicholine Piracetam Excipients Approved colour used | IP IP | 500mg 400mg q.s. | |
| 599 | Glimepride , Tablets IP 3mg | Each uncoated tablet contains: Glimepride Excipients | IP | 3mg q.s. | |
| 600 | Glimepride , Tablets IP 4mg | Each uncoated tablet contains: Glimepride Excipients | IP | 4mg q.s. | |
| 601 | Methylprednisolone Tablet IP 4 mg | Each uncoated Tablet contains: Methylprednisolone Excipients | IP | 4 mg q.s. | |

| | | | | | |
|-------------|--|---|--------------|-------------------------|--|
| 602 | Methylprednisolone Tablet IP 16 mg | Each uncoated Tablet contains: Methylprednisolone Excipients | IP | 16 mg q.s. | |
| 604 | Ambroxol hydrochloride & Levocetirizine hydrochloride Syrup. | Each 5ml contains: Levocetirizine hydrochloride Ambroxol hydrochloride In Flavoured Syrup Base Approved colour used | I.P. I.P. | 2.5 mg 30 mg | |
| 605 | Sucralfate & Oxetacaine Oral Suspension | Each 10 ml contains: Sucralfate Oxetacaine In a flavoured Syrup Base | USP BP | 1 gm 20mg | |
| 606 | Metoprolol Succinate &Chlorthalidone tablets | Each film coated Tablets contains: Metoprolol succinate Eq. to Metoprolol Tartrate Chlorthalidone Excipients Approved colour used | IP IP | 50mg 12.5mg q.s . | |
| 607 | Metoprolol Succinate &Amlodipine tablets | Each film coated Tablets contains: Metoprolol succinate Eq. to Metoprolol Tartrate Amlodipine besylate Eq to Amlodipine Excipients Approved colour used | IP IP | 50mg 5mg q.s . | |
| 608 | Metoprolol Succinate(ER) &Telmisartan tablets | Each film coated Tablets contains: Metoprolol succinate Eq. to Metoprolol Tartrate Telmisartan Excipients Approved colour used | IP IP | 50mg 40mg q.s . | |
| 609. | Fexofenadine hydrochloride Tablets.IP 120mg | Each film coated Tablet contains: Fexofenadine hydrochloride Excipients Approved colour used | IP | 120mg q.s. | |
| 610. | Fexofenadine hydrochloride Tablets.IP 180mg | Each film coated Tablet contains: Fexofenadine hydrochloride Excipients Approved colour used | IP | 180mg q.s. | |
| 611 | Levosulpiride Tablets 75mg | Each film coated tablet contains: Levosulpiride Excipients Approved colour used | IP | 75mg q.s. | |
| 612 | Levosulpiride Tablets 25mg | Each film coated tablet contains: Levosulpiride Excipients Approved colour used | IP | 25mg q.s. | |
| 613. | Bucizine Hydrochloride Tablet 25mg | Each film coated Tablet contains: Bucizine Hydrochloride Excipients Approved colour used | IP | 25mg qs | |
| 614 | Lactitol Monohydrate Syrup. | Each 15ml contains: Lactitol Monohydrate In Flavoured Syrup Base Approved colour used. | USP | 10gm q.s. | |

| | | | | | |
|------|---|--|----|----------------------------|--|
| 615 | Buclizine Hydrochloride Syrup. | Each 5ml contains: Buclizine Hydrochloride In Flavoured Syrup Base Approved colour used. | IP | 6mg q.s. | |
| 616 | Levosambutamol sulphate Syrup.IP 1mg | Each 5ml contains: Levosambutamol sulphate In Flavoured Syrup Base Approved colour used. | IP | 1mg q.s. | |
| 617 | Albendazole Suspension.IP | Each 10ml contains: Albendazole In Flavoured Syrup Base Approved colour used. | IP | 400mg q.s. | |
| 618. | Albendazol Tablets IP 400mg | Each uncoated tablet contains: Albendazole Excipients Approved colour used | IP | 400mg q.s. | |
| 619 | Montelukast Sodium Suspension. | Each 5ml contains: Montelukast Sodium In Flavoured Syrup Base Approved colour used. | IP | 5mg q.s. | |
| 620 | Bacillus Clausii Capsules | Each hard gelatin capsule contains: Bacillus Clausii Excipients Approved colour used empty shell | | 2Billion spores q.s. | |
| 621 | Ondansetron Hydrochloride Oral Solution IP | Each 5ml contains: Ondansetron Hydrochloride Eq to Ondansetron In a flavoured syrupy base Approved color used | IP | 2mg q.s. | |
| 622 | Ondansetron Orally Disintegrating Tablets 4mg | Each uncoated dispersible table contains: Ondansetron Hydrochloride Excipients Approved color used | IP | 4mg q.s. | |
| 623 | Ondansetron Orally Disintegrating Tablets 8mg | Each uncoated dispersible table contains: Ondansetron Hydrochloride Excipients Approved color used | IP | 8mg q.s. | |
| 624 | Sultamicillin Tablets 375mg | Each film coated tablet contains: Sultamicillin Tosylate Dihydrate Eq to Sultamicillin Excipients Approved colour used | BP | 375mg q.s. | |
| 625 | Clopidogrel Bisulphate Tablet IP 75mg. | Each uncoated tablet contains. Clopidogrel Bisulphate Eq. to Clopidogrel Approved colour used . | IP | 75mg | |
| 626 | Lecithin Oral Suspension. | Each 5ml contains: Lecithin In Flavoured Syrup Base Approved colour used. | IP | 500mg q.s. | |
| 627 | Levocetizine Hcl Tablet 10mg | Each film coated Tablet contains. Levocetizine Hydrochloride Excipients Approved colour used | IP | 10mg q.s. | |
| 628 | Cilnidipine Tablets IP 5mg | Each film coated Tablet contains: Cilnidipine Excipients Approved color used | IP | 5mg q.s. | |

| | | | | | |
|-------------|---|--|--------------|------------------------|--|
| 629 | Cilnidipine Tablets IP 20mg | Each film coated Tablet contains: Cilnidipine Excipients Approved color used | IP | 20mg q.s. | |
| 630 | Ebastine Tablets IP 5mg | Each film coated Tablet contains: Ebastine Excipients Approved color used | IP | 5mg q.s. | |
| 631 | Ebastine Tablets IP 10mg | Each film coated Tablet contains: Ebastine Excipients Approved color used | IP | 10mg q.s. | |
| 632 | Ebastine Tablets IP 20mg | Each film coated Tablet contains: Ebastine Excipients Approved color used | IP | 20mg q.s. | |
| 633 | Aceclofenac, &Tizanidine hydrochloride Tablet | Each film coated Tablet contains: Aceclofenac Tizanidine hydrochloride Eq to Tizanidine Excipients Approved colour used | I.P. I.P. | 100mg 2 mg qs | |
| 634 | Albendazole &Ivermectin Tablet | Each uncoated Tablet contains: Albendazole Ivermectin Excipients Approved colour used | I.P. I.P. | 400mg 6 mg qs | |
| 635 | Levocloperastine hydrochloride Syrup. | Each 5ml contains. Levocloperastine Hydrochloride Eq. to Levocloperastine In Flavoured Syrup base Approved colour used. | | 20 mg | |
| 636 | Levodropropizine &Chlorpheniramine maleate Syrup. | Each 5ml contains. Levodropropizine Chlorpheniramine maleate In Flavoured Syrup base Approved colour used. | IP IP | 30 mg 2 mg | |
| 637 | Aceclofenac, Paracetamol Tablets | Each film coated Tablet contains: Aceclofenac Paracetamol Excipients Approved color used | IP IP | 100mg 325mg q.s. | |
| 638 | Pantoprazole Sodium (EC) & Domperidone Sustained Release Capsules | Each hard gelatin Capsule contains: Pantoprazole sodium Sesquihydrate Eq. to Pantoprazole (As enteric coated pellets) Domperidone (As sustained Release pellets) Approved colour used in empty Capsules shells. | IP IP | 40mg 30mg | |
| 639. | Atenolol Tablets IP 50mg | Each un coated Tablets contains: Atenolol Excipients Approved colour used | IP | 50 mg q.s . | |
| 640. | Tranexamic Acid Tablets IP 250mg | Each film coated tablet contains: Tranexamic Acid Excipients Approved color used | IP | 250mg q.s. | |

| | | | | | |
|------|--|---|-------------|----------------|--|
| 641. | Enalapril Maleate Tablets IP 5mg | Each un coated tablet contains: Enalapril Maleate Excipients Approved colour used | IP | 5 mg q.s. | |
| 642. | Citicoline Sodium Tablets IP 500mg | Each film coated Tablet contains: Citicoline Sodium Eq. to Citicoline Excipients Approved colour used | IP | 500mg q.s. | |
| 645. | Tizanidine hydrochloride Tablet IP 2mg | Each film coated Tablet contains: Tizanidine hydrochloride Eq to Tizanidine Excipients Approved colour used | I.P. | 2 mg qs | |
| 646 | Artemether &Lumefantrine dispersible Tablets. | Each uncoated dispersible Tablet contains: Artemether Lumefantrine Excipients Approved colour used | I.P. USP | 20 mg 120mg | |
| 647 | Aceclofenac Sustained Release & Rabeprazole Sodium EC Capsules | Each hard gelatin Capsule contains: Aceclofenac (As sustained Release) Rabeprazole Sodium (As entric coated pellets) Approved colour used in empty Capsules shells. | IP IP | 200mg 20mg | |
| | | | | | |